







* * 面積計算（座標法） * *

地 器械点	番 視準点	1-1	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1-1	1-2		134-44-40	312-44-18	3.007	-51681.219	44212.613	5.954	263241.897802
1-2	1-3		136-11-28	268-55-46	38.587	-51679.178	44210.404	1.320	58357.733280
1-3	1-4		177-23-41	266-19-27	1.301	-51679.899	44171.824	-0.805	-35558.318320
1-4	1-5		179-18-56	265-38-23	2.608	-51679.983	44170.526	-0.282	-12456.088332
1-5	1-6		177-59-14	263-37-37	2.604	-51680.181	44167.925	-0.487	-21509.779475
1-6	1-7		177-01-02	260-38-39	2.602	-51680.470	44165.337	-0.712	-31445.719944
1-7	1-8		176-17-00	256-55-39	2.602	-51680.893	44162.770	-1.012	-44692.723240
1-8	1-9		176-56-50	253-52-29	2.604	-51681.482	44160.235	-1.312	-57938.228320
1-9	1-10		176-54-19	250-46-48	2.609	-51682.205	44157.734	-1.582	-69857.535188
1-10	1-11		177-30-46	248-17-34	2.604	-51683.064	44155.270	-1.822	-80450.901940
1-11	1-12		176-46-21	245-03-55	2.607	-51684.027	44152.851	-2.062	-91043.178762
1-12	1-13		176-48-40	241-52-35	2.605	-51685.126	44150.487	-2.327	-102738.183249
1-13	1-14		177-16-05	239-08-40	2.605	-51686.354	44148.190	-2.564	-113195.959160
1-14	1-15		176-44-35	235-53-15	2.602	-51687.690	44145.953	-2.795	-123387.938635
1-15	1-16		177-15-41	233-08-56	2.605	-51689.149	44143.799	-3.021	-133358.416779
1-16	1-17		177-00-08	230-09-04	2.605	-51690.711	44141.714	-3.232	-142666.019648
1-17	1-18		176-53-04	227-02-08	2.605	-51692.381	44139.714	-3.445	-152061.314730
1-18	1-19		176-55-41	223-57-49	2.602	-51694.156	44137.808	-3.648	-161014.723584
1-19	1-20		177-12-55	221-10-44	2.602	-51696.029	44136.002	-3.832	-169129.159664
1-20	1-21		177-25-16	218-36-00	1.302	-51697.988	44134.288	-2.976	-131343.641088
1-21	1-22		179-35-57	218-11-57	30.751	-51699.005	44133.476	-25.183	-1111413.326108
1-22	1-23		179-01-15	217-13-12	1.293	-51723.171	44114.460	-25.196	-1111507.934160
1-23	1-24		178-07-36	215-20-48	2.573	-51724.201	44113.678	-3.129	-138031.698462
1-24	1-25		176-47-08	212-07-56	2.572	-51726.300	44112.189	-4.277	-188667.832353

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1-25	1-26	177-05-22	209-13-18	2.582	-51728.478	44110.821	-4.431	-195455.047851
1-26	1-27	177-07-06	206-20-24	2.572	-51730.731	44109.560	-4.558	-201051.374480
1-27	1-28	177-15-41	203-36-05	2.575	-51733.036	44108.419	-4.665	-205765.774635
1-28	1-29	176-43-08	200-19-13	2.572	-51735.396	44107.388	-4.772	-210480.455536
1-29	1-30	176-56-19	197-15-32	2.573	-51737.808	44106.495	-4.869	-214754.524155
1-30	1-31	177-19-15	194-34-47	2.583	-51740.265	44105.732	-4.956	-218588.007792
1-31	1-32	177-01-46	191-36-33	2.574	-51742.764	44105.082	-5.020	-221407.511640
1-32	1-33	177-08-55	188-45-28	2.574	-51745.285	44104.564	-5.065	-223389.616660
1-33	1-34	176-39-11	185-24-39	2.574	-51747.829	44104.172	-5.107	-225240.006404
1-34	1-35	178-23-25	183-48-04	1.292	-51750.392	44103.929	-3.852	-169888.334508
1-35	1-36	178-49-49	182-37-53	4.164	-51751.681	44103.843	-5.449	-240321.840507
1-36	1-37	181-31-08	184-09-01	1.442	-51755.841	44103.652	-5.598	-246892.243896
1-37	1-38	182-07-59	186-17-00	2.897	-51757.279	44103.548	-4.317	-190395.016716
1-38	1-39	182-15-46	188-32-46	2.895	-51760.158	44103.231	-5.742	-253240.752402
1-39	1-40	184-17-49	192-50-35	2.905	-51763.021	44102.801	-5.696	-251209.554496
1-40	1-41	183-03-07	195-53-42	2.890	-51765.854	44102.155	-5.612	-247501.293860
1-41	1-42	183-10-56	199-04-38	2.902	-51768.633	44101.363	-5.522	-243527.726486
1-42	1-43	183-50-42	202-55-20	2.898	-51771.376	44100.415	-5.413	-238715.546395
1-43	1-44	182-52-17	205-47-37	2.907	-51774.046	44099.286	-5.287	-233152.925082
1-44	1-45	183-55-07	209-42-44	2.889	-51776.663	44098.021	-5.126	-226046.455646
1-45	1-46	182-50-00	212-32-44	2.905	-51779.172	44096.589	-4.958	-218630.888262
1-46	1-47	183-25-15	215-57-59	2.899	-51781.621	44095.026	-4.796	-211479.744696
1-47	1-48	183-09-20	219-07-19	2.900	-51783.968	44093.323	-4.597	-202697.005831
1-48	1-49	183-29-55	222-37-14	2.901	-51786.218	44091.494	-4.384	-193297.109696
1-49	1-50	183-28-42	226-05-56	2.898	-51788.352	44089.529	-4.144	-182707.008176

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1-50	1-51	182-44-24	228-50-20	2.897	-51790.362	44087.441	-3.916	-172646.418956
1-51	1-52	183-54-41	232-45-01	2.899	-51792.268	44085.260	-3.661	-161396.136860
1-52	1-53	183-01-05	235-46-06	2.894	-51794.023	44082.953	-3.383	-149132.629999
1-53	1-54	183-25-44	239-11-50	2.901	-51795.651	44080.560	-3.114	-137266.863840
1-54	1-55	183-19-08	242-30-58	2.896	-51797.137	44078.068	-2.822	-124388.307896
1-55	1-56	182-27-06	244-58-04	1.454	-51798.473	44075.499	-1.951	-85991.298549
1-56	1-57	180-51-53	245-49-57	35.635	-51799.088	44074.182	-15.205	-670147.937310
1-57	1-58	180-31-28	246-21-25	1.445	-51813.678	44041.670	-15.169	-668068.092230
1-58	1-59	182-56-06	249-17-31	2.919	-51814.257	44040.346	-1.611	-70948.997406
1-59	1-60	183-14-03	252-31-34	2.918	-51815.289	44037.616	-1.908	-84023.771328
1-60	1-61	183-19-18	255-50-52	2.913	-51816.165	44034.833	-1.588	-69927.314804
1-61	1-62	183-15-37	259-06-29	2.913	-51816.877	44032.009	-1.263	-55612.427367
1-62	1-63	183-20-59	262-27-28	2.914	-51817.428	44029.149	-0.933	-41079.196017
1-63	1-64	183-04-22	265-31-50	2.911	-51817.810	44026.260	-0.609	-26811.992340
1-64	1-65	183-51-17	269-23-07	2.918	-51818.037	44023.357	-0.258	-11358.026106
1-65	1-66	183-23-15	272-46-22	2.915	-51818.068	44020.440	0.110	4842.248400
1-66	1-67	183-26-46	276-13-08	2.921	-51817.927	44017.528	0.457	20116.010296
1-67	1-68	183-03-51	279-16-59	2.909	-51817.611	44014.625	0.785	34551.480625
1-68	1-69	183-01-36	282-18-35	2.914	-51817.142	44011.754	1.090	47972.811860
1-69	1-70	183-22-32	285-41-07	2.912	-51816.521	44008.907	1.409	62008.549963
1-70	1-71	183-32-35	289-13-42	2.920	-51815.733	44006.104	1.749	76966.675896
1-71	1-72	183-03-28	292-17-10	2.911	-51814.772	44003.346	2.065	90866.909490
1-72	1-73	183-40-07	295-57-17	2.909	-51813.668	44000.653	2.378	104633.552834
1-73	1-74	183-25-27	299-22-44	2.921	-51812.394	43998.037	2.706	119058.688122
1-74	1-75	183-16-47	302-39-31	2.909	-51810.962	43995.492	3.002	132074.466984

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1-75	1-76	183-17-31	305-57-02	2.918	-51809.392	43993.043	3.284	144473.153212
1-76	1-77	183-09-04	309-06-06	2.911	-51807.678	43990.680	3.550	156166.914000
1-77	1-78	183-18-10	312-24-16	2.913	-51805.842	43988.421	3.800	167155.999800
1-78	1-79	183-20-59	315-45-15	2.920	-51803.878	43986.270	4.056	178408.311120
1-79	1-80	183-40-05	319-25-20	2.909	-51801.786	43984.232	4.302	189220.166064
1-80	1-81	183-07-40	322-33-00	2.918	-51799.576	43982.340	4.526	199064.070840
1-81	1-82	183-40-54	326-13-54	2.916	-51797.260	43980.566	4.740	208467.882840
1-82	1-83	183-02-00	329-15-54	2.914	-51794.836	43978.945	4.930	216816.198850
1-83	1-84	183-42-30	332-58-24	2.915	-51792.330	43977.455	5.102	224372.975410
1-84	1-85	182-28-04	335-26-28	1.459	-51789.734	43976.131	3.923	172518.361913
1-85	1-86	180-30-57	335-57-25	17.266	-51788.407	43975.524	17.095	751761.582780
1-86	1-87	179-05-26	335-02-51	1.075	-51772.639	43968.490	16.743	736164.428070
1-87	1-88	177-13-45	332-16-36	2.157	-51771.664	43968.036	2.884	126803.815824
1-88	1-89	176-25-46	328-42-22	2.158	-51769.755	43967.033	3.754	165052.241882
1-89	1-90	176-29-50	325-12-12	2.153	-51767.910	43965.912	3.613	158848.840056
1-90	1-91	176-11-53	321-24-05	2.155	-51766.142	43964.683	3.452	151766.085716
1-91	1-92	176-19-42	317-43-47	2.152	-51764.458	43963.339	3.276	144023.898564
1-92	1-93	176-18-21	314-02-08	2.153	-51762.866	43961.891	3.089	135798.281299
1-93	1-94	176-20-03	310-22-11	2.158	-51761.369	43960.343	2.894	127221.232642
1-94	1-95	176-23-26	306-45-37	2.159	-51759.972	43958.699	2.690	118248.900310
1-95	1-96	177-33-31	304-19-08	1.080	-51758.679	43956.970	1.901	83562.199970
1-96	1-97	179-00-10	303-19-18	14.556	-51758.071	43956.078	8.605	378242.051190
1-97	1-98	178-51-57	302-11-15	1.124	-51750.074	43943.915	8.596	377741.893340
1-98	1-99	177-29-15	299-40-30	2.248	-51749.475	43942.963	1.712	75230.352656
1-99	1-100	176-12-41	295-53-11	2.246	-51748.362	43941.010	2.093	91968.533930

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1-100	1-101	176-52-52	292-46-03	2.256	-51747.382	43938.989	1.853	81418.946617
1-101	1-102	175-59-49	288-45-52	2.249	-51746.509	43936.909	1.597	70167.243673
1-102	1-103	176-34-55	285-20-47	2.246	-51745.785	43934.780	1.318	57906.040040
1-103	1-104	176-28-01	281-48-48	2.247	-51745.191	43932.614	1.054	46304.975156
1-104	1-105	176-28-10	278-16-58	2.251	-51744.731	43930.415	0.784	34441.445360
1-105	1-106	176-16-09	274-33-07	2.245	-51744.407	43928.188	0.502	22051.950376
1-106	1-107	176-18-26	270-51-33	2.250	-51744.229	43925.950	0.212	9312.301400
1-107	1-108	176-43-02	267-34-35	2.246	-51744.195	43923.700	-0.061	-2679.345700
1-108	1-109	176-03-01	263-37-36	2.249	-51744.290	43921.456	-0.345	-15152.902320
1-109	1-110	176-42-58	260-20-34	2.248	-51744.540	43919.221	-0.627	-27537.351567
1-110	1-111	176-23-51	256-44-25	2.246	-51744.917	43917.005	-0.892	-39173.968460
1-111	1-112	176-37-51	253-22-16	2.250	-51745.432	43914.819	-1.159	-50897.275221
1-112	1-113	176-00-55	249-23-11	2.247	-51746.076	43912.663	-1.435	-63014.671405
1-113	1-114	177-03-14	246-26-25	2.248	-51746.867	43910.560	-1.690	-74208.846400
1-114	1-115	175-57-43	242-24-08	2.249	-51747.766	43908.499	-1.940	-85182.488060
1-115	1-116	175-54-11	238-18-19	2.244	-51748.807	43906.505	-2.221	-97516.347605
1-116	1-117	176-36-47	234-55-06	2.250	-51749.987	43904.596	-2.473	-108576.065908
1-117	1-118	176-32-01	231-27-07	2.247	-51751.280	43902.754	-2.693	-118230.116522
1-118	1-119	176-40-48	228-07-55	2.246	-51752.680	43900.997	-2.899	-127268.990303
1-119	1-120	176-35-56	224-43-51	2.249	-51754.179	43899.324	-3.097	-135956.206428
1-120	1-121	176-07-19	220-51-10	2.249	-51755.777	43897.741	-3.300	-144862.545300
1-121	1-122	176-20-40	217-11-50	2.247	-51757.479	43896.270	-3.492	-153285.774840
1-122	1-123	176-44-21	213-56-11	2.246	-51759.269	43894.911	-3.653	-160348.109883
1-123	1-124	176-24-00	210-20-11	2.252	-51761.132	43893.657	-3.807	-167103.152199
1-124	1-125	176-02-28	206-22-39	2.245	-51763.076	43892.520	-3.955	-173594.916600

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1-125	1-126	176-37-37	203-00-16	2.251	-51765.087	43891.522	-4.084	-179252.975848
1-126	1-127	177-57-53	200-58-09	1.125	-51767.160	43890.643	-3.123	-137070.478089
1-127	1-128	178-24-27	199-22-36	6.004	-51768.210	43890.240	-6.714	-294679.071360
1-128	1-154	180-06-47	199-29-23	47.789	-51773.874	43888.248	-50.715	-2225792.497320
1-154	1-149	140-31-21	160-00-44	13.566	-51818.925	43872.304	-57.800	-2535819.171200
1-149	K455	64-25-40	44-26-24	9.139	-51831.674	43876.941	-6.224	-273090.080784
K455	K454	179-07-54	43-34-18	42.958	-51825.149	43883.339	37.649	1652163.830011
K454	K453	182-26-45	46-01-03	8.820	-51794.025	43912.949	37.249	1635713.437301
K453	K452	176-36-37	42-37-40	5.382	-51787.900	43919.295	10.085	442926.090075
K452	K451	175-37-55	38-15-35	3.390	-51783.940	43922.940	6.622	290857.708680
K451	K450	254-31-29	112-47-04	10.680	-51781.278	43925.039	-1.474	-64745.507486
K450	K449	196-10-31	128-57-35	2.886	-51785.414	43934.886	-5.951	-261456.506586
K449	K448	208-08-32	157-06-07	19.289	-51787.229	43937.131	-19.584	-860464.773504
K448	K447	179-09-37	156-15-44	20.517	-51804.998	43944.636	-36.550	-1606176.445800
K447	K446	188-15-34	164-31-18	20.319	-51823.779	43952.895	-38.363	-1686164.910885
K446	K445	189-21-22	173-52-40	14.226	-51843.361	43958.317	-33.726	-1482538.199142
K445	K444	138-11-42	132-04-22	7.709	-51857.505	43959.834	-19.310	-848864.394540
K444	K443	169-34-44	121-39-06	18.568	-51862.671	43965.557	-14.910	-655526.454870
K443	K442	204-59-55	146-39-01	16.510	-51872.415	43981.363	-23.535	-1035101.378205
K442	K441	173-03-18	139-42-19	21.729	-51886.206	43990.439	-30.364	-1335725.689796
K441	K440	123-14-29	82-56-48	22.132	-51902.779	44004.492	-13.855	-609682.236660
K440	K439	112-25-32	15-22-20	20.577	-51900.061	44026.456	22.559	993192.820904
K439	K438	201-28-08	36-50-28	12.471	-51880.220	44031.911	29.821	1313075.617931
K438	K437	169-20-20	26-10-48	22.708	-51870.240	44039.388	30.358	1336947.740904
K437	K436	199-02-30	45-13-18	16.714	-51849.862	44049.407	32.151	1416232.484457

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K436	K435	190-06-11	55-19-29	13.548	-51838.089	44061.271	19.481	858357.620351
K435	K434	219-02-07	94-21-36	16.667	-51830.381	44072.413	6.441	283870.412133
K434	K433	150-13-41	64-35-17	9.564	-51831.648	44089.031	2.837	125080.580947
K433	K432	135-26-08	20-01-25	10.440	-51827.544	44097.670	13.913	613530.882710
K432	K431	201-44-45	41-46-10	21.829	-51817.735	44101.245	26.090	1150601.482050
K431	K430	195-58-35	57-44-45	2.367	-51801.454	44115.787	17.544	773967.367128
K430	K429	138-37-56	16-22-41	30.665	-51800.191	44117.788	30.683	1353666.089204
K429	K428	180-12-06	16-34-47	24.422	-51770.771	44126.435	52.827	2331067.181745
K428	K427	211-26-38	48-01-25	21.421	-51747.364	44133.403	37.733	1665285.695399
K427	K426	162-16-12	30-17-37	18.081	-51733.038	44149.328	29.939	1321786.730992
K426	K425	192-46-39	43-04-16	15.110	-51717.425	44158.449	26.651	1176866.824299
K425	K424	255-17-56	118-22-12	13.955	-51706.387	44168.768	4.407	194651.760576
K424	K423	185-53-05	124-15-17	21.475	-51713.018	44181.047	-18.719	-827025.018793
K423	K422	251-50-48	196-06-05	12.980	-51725.106	44198.797	-24.558	-1085434.056726
K422	K421	136-47-09	152-53-14	4.192	-51737.576	44195.197	-16.201	-716006.386597
K421	K420	100-57-24	73-50-38	3.486	-51741.307	44197.108	-2.761	-122028.215188
K420	K419	176-23-51	70-14-29	3.686	-51740.337	44200.456	2.216	97948.210496
K419	K418	171-52-04	62-06-33	3.410	-51739.091	44203.925	2.841	125583.350925
K418	K417	174-32-49	56-39-22	3.712	-51737.496	44206.939	3.635	160692.223265
K417	K416	168-25-19	45-04-41	3.111	-51735.456	44210.040	4.237	187317.939480
K416	K415	176-06-14	41-10-55	3.365	-51733.259	44212.243	4.729	209079.697147
K415	1-150	153-42-01	14-52-56	0.586	-51730.727	44214.458	3.098	136976.390884
1-150	1-155	163-10-00	358-02-56	5.349	-51730.161	44214.609	5.913	261440.983017
1-155	K413	159-32-52	337-35-48	22.352	-51724.814	44214.427	26.011	1150061.460697
K413	1-164	226-19-03	23-54-51	12.007	-51704.150	44205.908	31.641	1398719.135028

<< 大網 緑ヶ丘土地区画整理（確定） 1/4 >>

[illegible]

＊ ＊ 面積計算（座標法） ＊ ＊

地 器 械 点	番 視 準 点	1-2 内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
1-128	1-129	100-55-10	300-24-33	12.125	-51773.874	43888.248	51.188	2246551.638624
1-129	1-130	180-09-26	300-33-59	3.797	-51767.737	43877.791	8.068	354006.017788
1-130	1-131	180-54-39	301-28-38	7.588	-51765.806	43874.521	5.893	258552.552253
1-131	1-132	180-59-21	302-27-59	7.592	-51761.844	43868.050	8.038	352611.385900
1-132	1-133	181-11-03	303-39-02	7.593	-51757.768	43861.644	8.283	363305.997252
1-133	1-134	181-06-53	304-45-55	7.589	-51753.561	43855.324	8.535	374305.190340
1-134	1-135	180-58-13	305-44-08	7.585	-51749.233	43849.089	8.758	384030.321462
1-135	1-136	181-04-53	306-49-01	7.590	-51744.803	43842.932	8.978	393621.843496
1-136	1-137	181-08-40	307-57-41	7.599	-51740.255	43836.856	9.222	404263.486032
1-137	1-138	181-02-51	309-00-32	7.594	-51735.581	43830.865	9.454	414376.997710
1-138	1-139	181-05-42	310-06-14	3.792	-51730.801	43824.964	7.223	316547.714972
1-139	1-140	180-04-46	310-11-00	5.531	-51728.358	43822.064	6.012	263458.248768
1-140	1-141	128-26-34	258-37-34	3.003	-51724.789	43817.838	2.977	130445.703726
1-141	1-142	129-26-45	208-04-19	14.935	-51725.381	43814.894	-13.771	-603374.905274
1-142	1-143	135-51-22	163-55-41	3.003	-51738.560	43807.866	-16.064	-703729.559424
1-143	1-144	135-14-21	119-10-02	6.628	-51741.445	43808.697	-6.115	-267890.182155
1-144	1-145	206-57-30	146-07-32	20.237	-51744.675	43814.485	-20.032	-877691.763520
1-145	1-146	182-22-51	148-30-23	22.610	-51761.477	43825.765	-36.082	-1581321.252730
1-146	1-147	164-22-04	132-52-27	33.193	-51780.757	43837.576	-41.864	-1835216.281664
1-147	1-148	190-02-24	142-54-51	15.149	-51803.341	43861.902	-34.669	-1520648.280438
1-148	1-154	197-10-54	160-05-45	3.722	-51815.426	43871.037	-15.584	-683686.240608
1-154	1-128	39-23-38	19-29-23	47.789	-51818.925	43872.304	41.552	1822981.975808

倍面積	5500.608318
面積	2750.3041590
坪数	831.96