



51-4
209.55m²

51-3
210.19m²

51-2
185.44m²

51-1
212.30m²

51-10
183.6

51-11
184.62m²

51-12
184.68m²

51-13
200.76m²

49-5
55.31m²

49-9
1182.14m²

49-8
124.75m²

49-7
80.00m²

49-6
144.77m²

49-4
279.94m²

49-3-2
237.01m²

49-3-1
235.69m²

49-2
438.77m²

49-1
883.60m²

48-8
684.80m²

48-7
888.82m²

48-6-2
184.65m²

48-6-1
207.01m²

48-5-3
211.09m²

48-5-2
246.81m²

48-5-1
228.19m²

48-4-1
182.97m²

48-4-2
196.95m²

48-3
124.39m²

48-2
96.36m²

48-1
441.90m²

Y1-43700

13800

X1-51400

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-1	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-80	48-82		94-19-54	155-34-31	31.605	-51338.351	43762.056	-29.301	-1282272.002856
48-82	48-41		72-22-35	47-57-06	1.428	-51367.127	43775.124	-27.820	-1217823.949680
48-41	48-42		182-50-30	50-47-36	3.216	-51366.171	43776.185	2.989	130847.016965
48-42	48-43		182-57-26	53-45-02	3.211	-51364.138	43778.677	3.932	172137.757964
48-43	48-44		182-48-13	56-33-15	3.210	-51362.239	43781.266	3.668	160589.683688
48-44	48-9		182-07-43	58-40-58	1.609	-51360.470	43783.945	2.605	114057.176725
48-9	48-10		139-14-51	17-55-49	3.001	-51359.634	43785.320	3.691	161611.616120
48-10	48-45		137-04-27	335-00-16	3.187	-51356.779	43786.243	5.744	251508.179792
48-45	48-46		181-04-02	336-04-18	6.404	-51353.890	43784.897	8.742	382767.569574
48-46	48-47		180-52-31	336-56-49	6.401	-51348.037	43782.299	11.743	514135.537157
48-47	48-48		180-56-44	337-53-33	6.400	-51342.147	43779.793	11.819	517433.373467
48-48	48-49		180-53-35	338-47-08	3.195	-51336.218	43777.384	8.908	389968.936672
48-49	48-1		180-03-10	338-50-18	0.363	-51333.239	43776.228	3.317	145205.748276
48-1	48-2		130-20-56	289-11-14	3.028	-51332.901	43776.097	1.333	58353.537301
48-2	48-11		130-03-12	239-14-26	3.934	-51331.906	43773.237	-1.017	-44517.382029
48-11	48-12		181-02-03	240-16-29	7.882	-51333.918	43769.856	-5.920	-259117.547520
48-12	48-80		180-58-08	241-14-37	1.090	-51337.826	43763.012	-4.433	-194001.432196
								倍面積	883.819420
								面積	441.9097100
								坪数	133.67

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-2	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-81	48-90		94-13-19	155-34-31	32.417	-51339.799	43759.405	-30.964	-1354966.216420
48-90	48-40		69-43-52	45-18-23	1.395	-51369.315	43772.810	-28.535	-1249057.133350
48-40	48-82		182-19-55	47-38-18	1.791	-51368.334	43773.801	2.188	95777.076588
48-82	48-80		107-56-13	335-34-31	31.605	-51367.127	43775.124	29.983	1312509.542892
48-80	48-81		85-46-41	241-21-12	3.020	-51338.351	43762.056	27.328	1195929.466368
								倍面積	192.736078
								面積	96.3680390
								坪数	29.15

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-3	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-13	48-67	94-14-33	155-37-22	16.220	-51341.603	43756.098	-16.579	-725432.348742	
48-67	48-58	179-57-17	155-34-39	17.441	-51356.378	43762.793	-30.655	-1341548.419415	
48-58	48-39	67-01-53	42-36-32	2.255	-51372.258	43770.004	-14.220	-622409.456880	
48-39	48-90	182-17-26	44-53-58	1.812	-51370.598	43771.531	2.943	128819.615733	
48-90	48-81	110-40-33	335-34-31	32.417	-51369.315	43772.810	30.799	1348158.775190	
48-81	48-13	85-48-18	241-22-49	3.768	-51339.799	43759.405	27.712	1212660.631360	
								倍面積	248.797246
								面積	124.3986230
								坪数	37.63

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-4-2 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-69	48-76	90-00-00	155-37-25	12.500	-51362.222	43749.919	-12.481	-546042.739039
48-76	48-77	90-00-00	65-37-25	10.668	-51373.607	43755.077	-6.982	-305497.947614
48-77	48-66	270-02-33	155-39-58	6.633	-51369.204	43764.795	-1.641	-71818.028595
48-66	48-38	63-37-33	39-17-31	2.878	-51375.248	43767.528	-3.816	-167016.886848
48-38	48-58	181-19-32	40-37-03	1.004	-51373.020	43769.351	2.990	130870.359490
48-58	48-67	114-57-36	335-34-39	17.441	-51372.258	43770.004	16.642	728420.406568
48-67	48-68	89-59-53	245-34-32	11.484	-51356.378	43762.793	11.132	487167.411676
48-68	48-69	180-02-53	245-37-25	2.655	-51361.126	43752.337	-5.844	-255688.657428
							倍面積	393.918210
							面積	196.9591050
							坪数	59.58

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-5-1 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-75	48-65	89-58-27	155-35-52	20.266	-51376.583	43748.510	-21.432	-937618.066320
48-65	48-8	85-09-46	60-45-38	0.353	-51395.039	43756.883	-18.283	-800007.091889
48-8	48-30	138-03-15	18-48-53	1.081	-51394.866	43757.191	1.196	52333.600436
48-30	48-31	180-33-37	19-22-30	1.609	-51393.843	43757.540	2.541	111187.909140
48-31	48-32	181-56-12	21-18-42	3.208	-51392.325	43758.073	4.507	197217.635011
48-32	48-33	183-05-47	24-24-29	3.210	-51389.336	43759.239	5.911	258660.861729
48-33	48-89	182-52-42	27-17-11	2.796	-51386.414	43760.566	5.408	236657.140928
48-89	48-34	180-35-45	27-52-56	0.411	-51383.928	43761.848	2.849	124677.504952
48-34	48-35	182-21-28	30-14-24	3.213	-51383.565	43762.040	3.138	137325.281520
48-35	48-36	183-07-48	33-22-12	3.218	-51380.790	43763.658	5.463	239080.863654
48-36	48-37	182-51-01	36-13-13	3.217	-51378.102	43765.428	5.283	231212.756124
48-37	48-66	181-18-51	37-32-04	0.327	-51375.507	43767.329	2.854	124911.956966
48-66	48-77	118-07-54	335-39-58	6.633	-51375.248	43767.528	6.303	275866.728984
48-77	48-76	89-57-27	245-37-25	10.668	-51369.204	43764.795	1.641	71818.028595
48-76	48-75	180-00-00	245-37-25	7.210	-51373.607	43755.077	-7.379	-322868.713183
							倍面積	456.396647
							面積	228.1983235
							坪数	69.02

* * 面積計算 (座標法) * *

地 器械点	番 : 48-5-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-73	48-64	90-00-31	155-37-56	12.468	-51382.549	43735.344	-15.111	-660884.783184
48-64	48-29	123-03-35	98-41-31	12.212	-51393.906	43740.488	-13.203	-577505.663064
48-29	48-7	186-38-42	105-20-13	2.041	-51395.752	43752.560	-2.386	-104393.608160
48-7	48-65	136-38-23	61-58-36	2.667	-51396.292	43754.528	0.713	31196.978464
48-65	48-75	93-37-16	335-35-52	20.266	-51395.039	43756.883	19.709	862404.407047
48-75	48-74	90-01-33	245-37-25	5.359	-51376.583	43748.510	16.244	710650.796440
48-74	48-73	180-00-00	245-37-25	9.096	-51378.795	43743.629	-5.966	-260974.490614
							倍面積	493.636929
							面積	246.8184645
							坪数	74.66

* * 面積計算 (座標法) * *

地 器械点	番 : 48-6-1 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-72	48-85	89-57-58	155-35-23	4.431	-51371.852	43726.675	-9.225	-403378.576875
48-85	48-63	180-00-09	155-35-32	19.294	-51375.887	43728.507	-21.605	-944754.393735
48-63	48-88	118-58-06	94-33-38	1.934	-51393.457	43736.479	-17.723	-775141.617317
48-88	48-28	180-38-13	95-11-51	0.368	-51393.610	43738.407	-0.187	-8179.082109
48-28	48-64	183-30-34	98-42-25	1.734	-51393.644	43738.774	-0.296	-12946.677104
48-64	48-73	56-55-31	335-37-56	12.468	-51393.906	43740.488	11.095	485300.714360
48-73	48-74	269-59-29	65-37-25	9.096	-51382.549	43735.344	15.111	660884.783184
48-74	48-71	90-00-00	335-37-25	13.321	-51378.795	43743.629	15.887	694955.033923
48-71	48-72	90-00-00	245-37-25	12.577	-51366.662	43738.131	6.943	303673.843533
							倍面積	414.027860
							面積	207.0139300
							坪数	62.62

* * 面積計算 (座標法) * *

地 器械点	番 : 48-7 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-86	48-87	89-56-59	157-09-29	26.769	-51368.695	43695.010	-25.973	-1134890.494730
48-87	48-92	96-56-59	74-06-28	4.149	-51393.365	43705.402	-23.534	-1028562.930668
48-92	48-26	181-20-55	75-27-23	0.191	-51392.229	43709.392	1.184	51751.920128
48-26	48-27	194-59-17	90-26-40	12.571	-51392.181	43709.578	-0.050	-2185.478900
48-27	48-97	184-12-38	94-39-18	1.698	-51392.279	43722.149	-0.235	-10274.705015
48-97	48-63	180-03-03	94-42-21	12.681	-51392.416	43723.841	-1.178	-51506.684698
48-63	48-85	60-53-11	335-35-32	19.294	-51393.457	43736.479	16.529	722920.261391
48-85	48-72	179-59-51	335-35-23	4.431	-51375.887	43728.507	21.605	944754.393735
48-72	48-62	180-00-04	335-35-27	14.821	-51371.852	43726.675	17.531	766572.339425
48-62	48-18	92-13-52	247-49-19	0.081	-51358.356	43720.551	13.465	588697.219215
48-18	48-19	180-09-49	247-59-08	3.936	-51358.387	43720.475	-1.506	-65843.035350
48-19	48-94	180-07-56	248-07-04	7.028	-51359.862	43716.826	-4.094	-178976.685644
48-94	48-20	180-02-15	248-09-19	9.209	-51362.481	43710.305	-6.046	-264272.504030
48-20	48-21	179-42-38	247-51-57	3.384	-51365.908	43701.757	-4.702	-205485.661414
48-21	48-91	179-52-48	247-44-45	0.552	-51367.183	43698.623	-1.484	-64848.756532
48-91	48-86	179-27-45	247-12-30	3.365	-51367.392	43698.112	-1.512	-66071.545344
							倍面積	1777.651569
							面積	888.8257845
							坪数	268.86

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-8	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-78	48-79		134-49-50	198-36-31	5.014	-51379.201	43672.177	-5.624	-245612.323448
48-79	48-50		135-16-53	153-53-24	7.783	-51383.953	43670.577	-11.741	-512736.244557
48-50	48-5		179-56-38	153-50-02	9.191	-51390.942	43674.002	-15.238	-665504.442476
48-5	48-6		140-04-32	113-54-34	3.006	-51399.191	43678.055	-9.467	-413500.146685
48-6	48-96		140-06-26	74-01-00	14.767	-51400.409	43680.803	2.848	124402.926944
48-96	48-87		180-00-38	74-01-38	10.820	-51396.343	43694.999	7.044	307787.572956
48-87	48-86		83-07-51	337-09-29	26.769	-51393.365	43705.402	27.648	1208366.954496
48-86	48-22		90-10-53	247-20-22	2.859	-51368.695	43695.010	23.568	1029803.995680
48-22	48-23		178-50-42	246-11-04	6.772	-51369.797	43692.371	-3.836	-167603.935156
48-23	48-95		179-22-29	245-33-33	2.050	-51372.531	43686.176	-3.582	-156483.882432
48-95	48-24		179-24-56	244-58-29	4.720	-51373.379	43684.310	-2.845	-124281.861950
48-24	48-25		179-08-28	244-06-57	6.764	-51375.376	43680.033	-4.950	-216216.163350
48-25	48-78		179-39-44	243-46-41	1.974	-51378.329	43673.947	-3.825	-167052.847275
								倍面積	1369.602747
								面積	684.8013735
								坪数	207.15

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	48-9	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-3	48-4		135-09-34	198-32-59	3.001	-51379.835	43670.911	-3.479	-151931.099369
48-4	48-79		135-27-39	154-00-38	1.416	-51382.680	43669.957	-4.118	-179832.882926
48-79	48-78		44-35-53	18-36-31	5.014	-51383.953	43670.577	3.479	151929.937383
48-78	48-3		44-46-54	243-23-25	1.416	-51379.201	43672.177	4.118	179842.024886
								倍面積	7.979974
								面積	3.9899870
								坪数	1.20

* * 面積計算 (座標法) * *

地番 器械点	番 : 48-6-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-62	48-72	88-29-32	155-35-27	14.821	-51358.356	43720.551	-14.150	-618645.796650
48-72	48-71	90-01-58	65-37-25	12.577	-51371.852	43726.675	-8.306	-363193.762550
48-71	48-61	89-59-15	335-36-40	14.590	-51366.662	43738.131	18.478	808193.184618
48-61	48-17	90-28-13	246-04-53	4.777	-51353.374	43732.106	11.351	496403.135206
48-17	48-84	180-56-41	247-01-34	6.127	-51355.311	43727.740	-4.328	-189253.658720
48-84	48-62	180-04-21	247-05-55	1.680	-51357.702	43722.098	-3.045	-133133.788410
							倍面積	369.313494
							面積	184.6567470
							坪数	55.85

* * 面積計算 (座標法) * *

地 器械点	番 視準点	48-5-3 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-61	48-71	90-06-05	155-36-40	14.590	-51353.374	43732.106	-14.573	-637307.980738
48-71	48-74	180-00-45	155-37-25	13.321	-51366.662	43738.131	-25.421	-1111867.028151
48-74	48-75	90-00-00	65-37-25	5.359	-51378.795	43743.629	-9.921	-433980.543309
48-75	48-76	180-00-00	65-37-25	7.210	-51376.583	43748.510	5.188	226967.269880
48-76	48-69	90-00-00	335-37-25	12.500	-51373.607	43755.077	14.361	628366.660797
48-69	48-70	90-00-00	245-37-25	9.069	-51362.222	43749.919	7.642	334336.880998
48-70	48-60	270-00-25	335-37-50	15.418	-51365.965	43741.658	10.301	450582.819058
48-60	48-16	89-52-08	245-29-58	0.407	-51351.921	43735.296	13.876	606870.967296
48-16	48-61	180-00-37	245-30-35	3.098	-51352.089	43734.926	-1.453	-63546.847478
							倍面積	422.198353
							面積	211.0991765
							坪数	63.85

* * 面積計算 (座標法) * *

地 器械点	番 : 48-5-4 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-60	48-70	90-58-07	155-37-50	15.418	-51351.921	43735.296	-17.241	-754040.238336
48-70	48-69	89-59-35	65-37-25	9.069	-51365.965	43741.658	-10.301	-450582.819058
48-69	48-68	180-00-00	65-37-25	2.655	-51362.222	43749.919	4.839	211705.858041
48-68	48-59	89-58-37	335-36-02	15.675	-51361.126	43752.337	15.371	672517.172027
48-59	48-83	88-58-56	244-34-58	0.776	-51346.851	43745.862	13.942	609904.808004
48-83	48-15	179-06-28	243-41-26	3.474	-51347.184	43745.161	-1.873	-81934.686553
48-15	48-60	180-58-17	244-39-43	7.469	-51348.724	43742.046	-4.737	-207206.071902
							倍面積	364.022223
							面積	182.0111115
							坪数	55.05

* * 面積計算（座標法） * *

地 器械点	番 : 視準点	48-4-1 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
48-59	48-68	92-10-15	155-36-02	15.675	-51346.851	43745.862	-15.899	-695515.459938
48-68	48-67	89-58-30	65-34-32	11.484	-51361.126	43752.337	-9.527	-416828.514599
48-67	48-13	90-02-50	335-37-22	16.220	-51356.378	43762.793	19.523	854381.007739
48-13	48-14	86-58-08	242-35-30	7.872	-51341.603	43756.098	11.151	487924.248798
48-14	48-59	180-50-17	243-25-47	3.632	-51345.227	43749.110	-5.248	-229595.329280
							倍面積	365.952720
							面積	182.9763600
							坪数	55.35