



43800

200

1100

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	54-1-1 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-3	54-54	88-14-12	64-47-10	15.011	-51223.452	43729.407	3.924	171594.193068
54-54	54-55	92-21-59	337-09-09	5.800	-51217.057	43742.987	11.740	513542.667380
54-55	54-99	182-40-42	339-49-51	5.932	-51211.712	43740.735	10.913	477342.641055
54-99	54-74	89-22-27	249-12-18	15.095	-51206.144	43738.690	0.209	9141.386210
54-74	54-28	89-51-25	159-03-43	4.828	-51211.503	43724.578	-9.868	-431474.135704
54-28	54-29	178-42-05	157-45-48	5.369	-51216.012	43726.304	-9.478	-414437.909312
54-29	54-3	178-47-10	156-32-58	2.693	-51220.981	43728.335	-7.440	-325338.812400
							倍面積	370.030297
							面積	185.0151485
							坪数	55.96

* * 面積計算 (座標法) * *

地 器械点	番 視準点	54-1-2 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-74	54-99	89-08-33	69-12-18	15.095	-51211.503	43724.578	4.843	211758.131254
54-99	54-98	90-37-33	339-49-51	1.645	-51206.144	43738.690	6.903	301928.177070
54-98	54-56	180-00-00	339-49-51	4.033	-51204.600	43738.123	5.330	233124.195590
54-56	54-97	183-38-08	343-27-59	5.720	-51200.814	43736.732	9.269	405395.768908
54-97	54-73	90-23-43	253-51-42	15.092	-51195.331	43735.105	1.288	56330.815240
54-73	54-25	89-20-52	163-12-34	1.317	-51199.526	43720.607	-5.456	-238539.631792
54-25	54-26	179-08-12	162-20-46	5.374	-51200.787	43720.988	-6.382	-279027.345416
54-26	54-27	178-24-14	160-45-00	5.380	-51205.908	43722.618	-10.200	-445970.703600
54-27	54-74	179-18-45	160-03-45	0.548	-51210.987	43724.391	-5.595	-244637.967645
							倍面積	361.439609
							面積	180.7198045
							坪数	54.66

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-3 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-73	54-97	89-46-28	73-51-42	15.092	-51199.526	43720.607	0.295	12897.579065
54-97	54-96	89-36-17	343-27-59	3.282	-51195.331	43735.105	7.341	321059.405805
54-96	54-57	180-00-00	343-27-59	2.608	-51192.185	43734.171	5.646	246923.129466
54-57	54-95	183-38-08	347-06-07	5.713	-51189.685	43733.429	8.069	352885.038601
54-95	54-72	89-50-36	256-56-43	15.086	-51184.116	43732.153	2.162	94548.914786
54-72	54-23	89-46-55	166-43-38	2.983	-51187.523	43717.458	-6.310	-275857.159980
54-23	54-24	178-41-09	165-24-47	5.372	-51190.426	43718.142	-8.103	-354248.104626
54-24	54-73	178-40-27	164-05-14	4.056	-51195.626	43719.495	-9.100	-397847.404500
							倍面積	361.398617
							面積	180.6993085
							坪数	54.66

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	54-1-4 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-72	54-95	89-25-42	76-56-43	15.086	-51187.523	43717.458	1.070	46777.680060
54-95	54-94	90-09-24	347-06-07	4.378	-51184.116	43732.153	7.675	335644.274275
54-94	54-58	180-00-00	347-06-07	1.518	-51179.848	43731.176	5.748	251366.799648
54-58	54-93	183-38-08	350-44-15	5.707	-51178.368	43730.837	7.112	311013.712744
54-93	54-71	89-19-23	260-03-38	15.083	-51172.736	43729.919	3.028	132414.194732
54-71	54-21	89-54-14	169-57-52	4.644	-51175.340	43715.062	-7.176	-313699.284912
54-21	54-22	178-34-59	168-32-51	5.381	-51179.912	43715.872	-9.846	-430426.475712
54-22	54-72	178-58-10	167-31-01	2.394	-51185.186	43716.940	-7.611	-332729.630340
							倍面積	361.270495
							面積	180.6352475
							坪数	54.64

* * 面積計算 (座標法) * *

地 器械点	番 視準点	54-1-5 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-71	54-93	89-34-23	80-03-38	15.083	-51175.340	43715.062	1.883	82315.461746
54-93	54-92	90-40-37	350-44-15	5.521	-51172.736	43729.919	8.053	352157.037707
54-92	54-59	180-00-00	350-44-15	0.382	-51167.287	43729.030	5.826	254765.328780
54-59	54-91	183-38-08	354-22-23	5.494	-51166.910	43728.969	5.844	255552.094836
54-91	54-70	90-21-40	264-44-03	15.080	-51161.443	43728.430	4.083	178543.179690
54-70	54-18	89-20-53	174-04-56	1.143	-51162.827	43713.413	-2.521	-110201.514173
54-18	54-19	179-03-59	173-08-55	5.371	-51163.964	43713.531	-6.470	-282826.545570
54-19	54-20	178-37-25	171-46-20	5.378	-51169.297	43714.172	-10.655	-465774.502660
54-20	54-71	178-42-55	170-29-15	0.731	-51174.619	43714.942	-6.043	-264169.394506
							倍面積	361.145850
							面積	180.5729250
							坪数	54.62

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-6 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-70	54-91	89-44-19	84-44-03	15.080	-51162.827	43713.413	-2.840	-124146.092920
54-91	54-60	89-38-20	354-22-23	6.115	-51161.443	43728.430	7.470	326651.372100
54-60	54-90	183-38-08	358-00-31	0.752	-51155.357	43727.830	6.838	299010.901540
54-90	54-89	180-00-00	358-00-31	4.736	-51154.605	43727.804	5.485	239847.004940
54-89	54-69	89-49-54	267-50-25	15.077	-51149.872	43727.640	4.164	182081.892960
54-69	54-16	89-47-07	177-37-32	2.801	-51150.441	43712.573	-3.367	-147180.233291
54-16	54-17	178-35-26	176-12-58	5.376	-51153.239	43712.689	-8.162	-356782.967618
54-17	54-70	178-46-46	174-59-44	4.240	-51158.603	43713.044	-9.588	-419120.665872
							倍面積	361.211839
							面積	180.6059195
							坪数	54.63

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-7 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-69	54-89	89-42-53	87-50-25	15.077	-51150.441	43712.573	-2.004	-87599.996292
54-89	54-61	90-10-06	358-00-31	6.122	-51149.872	43727.640	6.686	292363.001040
54-61	54-88	183-38-08	1-38-39	2.014	-51143.755	43727.427	8.130	355503.981510
54-88	54-87	180-00-00	1-38-39	3.468	-51141.742	43727.485	5.480	239626.617800
54-87	54-68	89-17-16	270-55-55	15.089	-51138.275	43727.584	3.712	162316.791808
54-68	54-14	89-59-09	180-55-04	4.462	-51138.030	43712.497	-4.216	-184291.887352
54-14	54-15	178-24-47	179-19-51	5.378	-51142.491	43712.426	-9.838	-430042.846988
54-15	54-69	178-47-41	178-07-32	2.573	-51147.868	43712.489	-7.950	-347514.287550
							倍面積	361.373976
							面積	180.6869880
							坪数	54.65

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-8 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-68	54-87	89-26-04	90-55-55	15.089	-51138.030	43712.497	-1.158	-50619.071526
54-87	54-62	90-42-44	1-38-39	6.128	-51138.275	43727.584	5.880	257118.193920
54-62	54-86	183-38-08	5-16-47	3.262	-51132.150	43727.760	9.373	409860.294480
54-86	54-85	180-00-00	5-16-47	2.007	-51128.902	43728.060	5.247	229441.130820
54-85	54-67	90-19-45	275-36-32	15.093	-51126.903	43728.245	3.474	151911.923130
54-67	54-11	89-33-25	185-09-57	0.952	-51125.428	43713.224	0.527	23036.869048
54-11	54-12	178-52-38	184-02-35	5.386	-51126.376	43713.139	-6.321	-276310.751619
54-12	54-13	178-29-38	182-32-13	5.373	-51131.749	43712.759	-10.741	-469518.744419
54-13	54-68	178-57-38	181-29-51	0.913	-51137.117	43712.521	-6.281	-274558.344401
							倍面積	361.499433
							面積	180.7497165
							坪数	54.67

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-9 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-67	54-85	89-41-30	95-36-32	15.093	-51125.428	43713.224	-5.869	-256552.911656
54-85	54-63	89-40-15	5-16-47	6.340	-51126.903	43728.245	4.838	211557.249310
54-63	54-84	183-38-08	8-54-55	4.401	-51120.590	43728.828	10.661	466193.035308
54-84	54-83	180-00-00	8-54-55	0.864	-51116.242	43729.510	5.201	227437.181510
54-83	54-66	89-48-12	278-43-07	15.096	-51115.389	43729.644	3.142	137398.541448
54-66	54-9	89-21-37	188-04-44	2.624	-51113.100	43714.723	-0.309	-13507.849407
54-9	54-10	179-07-25	187-12-09	5.379	-51115.698	43714.354	-7.934	-346829.684636
54-10	54-67	178-42-53	185-55-02	4.418	-51121.034	43713.680	-9.730	-425334.106400
							倍面積	361.455477
							面積	180.7277385
							坪数	54.67

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	54-1-10 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-66	54-83	89-25-44	98-43-07	15.096	-51113.100	43714.723	-5.007	-218879.618061
54-83	54-64	90-11-48	8-54-55	6.345	-51115.389	43729.644	3.979	174000.253476
54-64	54-65	182-43-31	11-38-26	5.809	-51109.121	43730.627	11.958	522930.837666
54-65	54-51	88-17-02	279-55-28	1.690	-51103.431	43731.800	5.982	261603.627600
54-51	54-52	181-03-45	280-59-13	4.464	-51103.139	43730.135	1.142	49939.814170
54-52	54-53	180-57-01	281-56-14	4.464	-51102.289	43725.753	1.774	77569.485822
54-53	54-1	180-59-39	282-55-53	2.244	-51101.365	43721.385	1.426	62346.695010
54-1	54-2	135-01-42	237-57-35	2.994	-51100.863	43719.198	-1.087	-47522.768226
54-2	54-7	133-17-07	191-14-42	2.691	-51102.452	43716.660	-4.228	-184834.038480
54-7	54-8	179-07-25	190-22-07	5.378	-51105.091	43716.136	-7.930	-346668.958480
54-8	54-66	178-55-16	189-17-23	2.755	-51110.382	43715.168	-8.009	-350114.780512
							倍面積	370.549985
							面積	185.2749925
							坪数	56.04

* * 面積計算 (座標法) * *

地 器械点	番 視準点	54-1-11 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-84	54-82	89-32-26	98-27-21	14.904	-51116.242	43729.510	-3.045	-133156.357950
54-82	54-48	90-34-22	9-01-43	2.686	-51118.434	43744.253	0.461	20166.100633
54-48	54-49	181-13-09	10-14-52	5.250	-51115.781	43744.674	7.819	342039.606006
54-49	54-5	181-37-54	11-52-46	2.616	-51110.615	43745.608	7.726	337978.567408
54-5	54-6	133-33-17	325-26-03	2.998	-51108.055	43746.147	5.029	219999.373263
54-6	54-50	134-14-01	279-40-04	12.287	-51105.586	43744.445	4.532	198249.824740
54-50	54-65	180-08-37	279-48-41	0.541	-51103.523	43732.332	2.155	94243.175460
54-65	54-64	91-49-45	191-38-26	5.809	-51103.431	43731.800	-5.598	-244810.616400
54-64	54-83	177-16-29	188-54-55	6.345	-51109.121	43730.627	-11.958	-522930.837666
54-83	54-84	180-00-00	188-54-55	0.864	-51115.389	43729.644	-7.121	-311398.794924
							倍面積	380.040570
							面積	190.0202850
							坪数	57.48

* * 面積計算 (座標法) * *

地 器械点	番 視準点	54-1-12 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-86	54-81	89-36-38	94-53-25	14.904	-51128.902	43728.060	-3.270	-142990.756200
54-81	54-46	90-20-30	5-13-55	4.016	-51130.173	43742.910	2.729	119374.401390
54-46	54-47	181-30-47	6-44-42	5.241	-51126.173	43743.276	9.204	402613.112304
54-47	54-82	181-21-12	8-05-54	2.560	-51120.969	43743.892	7.739	338533.980188
54-82	54-84	90-21-27	278-27-21	14.904	-51118.434	43744.253	4.727	206779.083931
54-84	54-63	90-27-34	188-54-55	4.401	-51116.242	43729.510	-2.156	-94280.823560
54-63	54-85	176-21-52	185-16-47	6.340	-51120.590	43728.828	-10.661	-466193.035308
54-85	54-86	180-00-00	185-16-47	2.007	-51126.903	43728.245	-8.312	-363469.172440
							倍面積	366.790305
							面積	183.3951525
							坪数	55.47

* * 面積計算 (座標法) * *

地 器械点	番 視準点	54-1-13 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-88	54-43	88-50-19	90-28-58	14.919	-51141.742	43727.485	-3.592	-157069.126120
54-43	54-44	90-53-39	1-22-37	5.242	-51141.867	43742.403	5.115	223742.391345
54-44	54-45	181-46-33	3-09-10	5.241	-51136.627	43742.529	10.473	458115.506217
54-45	54-81	181-12-07	4-21-17	1.225	-51131.394	43742.817	6.454	282316.140918
54-81	54-86	90-32-08	274-53-25	14.904	-51130.173	43742.910	2.492	109007.331720
54-86	54-62	90-23-22	185-16-47	3.262	-51128.902	43728.060	-1.977	-86450.374620
54-62	54-87	176-21-52	181-38-39	6.128	-51132.150	43727.760	-9.373	-409860.294480
54-87	54-88	180-00-00	181-38-39	3.468	-51138.275	43727.584	-9.592	-419434.985728
							倍面積	366.589252
							面積	183.2946260
							坪数	55.44

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-14 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-90	54-79	87-56-57	85-57-28	14.957	-51154.605	43727.804	-3.679	-160874.590916
54-79	54-41	90-16-45	356-14-13	1.205	-51153.551	43742.724	2.257	98727.328068
54-41	54-42	181-36-42	357-50-55	5.242	-51152.348	43742.645	6.442	281790.119090
54-42	54-43	181-39-44	359-30-39	5.242	-51147.109	43742.448	10.481	458464.597488
54-43	54-88	90-58-19	270-28-58	14.919	-51141.867	43742.403	5.367	234765.476901
54-88	54-61	91-09-41	181-38-39	2.014	-51141.742	43727.485	-1.888	-82557.491680
54-61	54-89	176-21-52	178-00-31	6.122	-51143.755	43727.427	-8.130	-355503.981510
54-89	54-90	180-00-00	178-00-31	4.736	-51149.872	43727.640	-10.850	-474444.894000
							倍面積	366.563441
							面積	183.2817205
							坪数	55.44

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	54-1-15 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-92	54-78	91-37-34	82-21-49	14.961	-51167.287	43729.030	1.611	70447.467330
54-78	54-39	90-35-23	352-57-12	2.534	-51165.299	43743.858	4.503	196978.592574
54-39	54-40	181-17-08	354-14-20	5.236	-51162.784	43743.547	7.724	337875.157028
54-40	54-79	181-31-37	355-45-57	4.035	-51157.575	43743.022	9.233	403879.322126
54-79	54-90	90-11-31	265-57-28	14.957	-51153.551	43742.724	2.970	129915.890280
54-90	54-60	92-03-03	178-00-31	0.752	-51154.605	43727.804	-1.806	-78972.414024
54-60	54-91	176-21-52	174-22-23	6.115	-51155.357	43727.830	-6.838	-299010.901540
54-91	54-59	180-00-00	174-22-23	5.494	-51161.443	43728.430	-11.553	-505194.551790
54-59	54-92	176-21-52	170-44-15	0.382	-51166.910	43728.969	-5.844	-255552.094836
							倍面積	366.467148
							面積	183.2335740
							坪数	55.42

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-16 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-94	54-77	91-42-33	78-48-40	14.937	-51179.848	43731.176	1.418	62010.807568
54-77	54-37	90-10-36	348-59-16	3.869	-51176.950	43745.829	6.697	292965.816813
54-37	54-38	181-44-20	350-43-36	5.241	-51173.151	43745.090	8.971	392437.202390
54-38	54-78	181-03-13	351-46-49	2.707	-51167.979	43744.245	7.852	343479.811740
54-78	54-92	90-35-00	262-21-49	14.961	-51165.299	43743.858	0.692	30270.749736
54-92	54-93	88-22-26	170-44-15	5.521	-51167.287	43729.030	-7.437	-325212.796110
54-93	54-58	180-00-00	170-44-15	5.707	-51172.736	43729.919	-11.081	-484571.232439
54-58	54-94	176-21-52	167-06-07	1.518	-51178.368	43730.837	-7.112	-311013.712744
							倍面積	366.646954
							面積	183.3234770
							坪数	55.45

* * 面積計算（座標法） * *

地 器械点	番 視準点	54-1-17 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-96	54-34	92-07-26	75-35-25	14.903	-51192.185	43734.171	1.208	52830.878568
54-34	54-35	89-47-35	345-23-00	5.231	-51188.477	43748.605	8.770	383675.265850
54-35	54-36	181-40-42	347-03-42	5.252	-51183.415	43747.285	10.180	445347.361300
54-36	54-77	181-10-04	348-13-46	1.376	-51178.297	43746.109	6.465	282818.594685
54-77	54-94	90-34-54	258-48-40	14.937	-51176.950	43745.829	-1.551	-67849.780779
54-94	54-95	88-17-27	167-06-07	4.378	-51179.848	43731.176	-7.166	-313377.607216
54-95	54-57	180-00-00	167-06-07	5.713	-51184.116	43732.153	-9.837	-430193.189061
54-57	54-96	176-21-52	163-27-59	2.608	-51189.685	43733.429	-8.069	-352885.038601
倍面積								366.484746
面積								183.2423730
坪数								55.43

* * 面積計算 (座標法) * *

地 器械点	番 視準点	54-1-18 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-98	54-75	90-02-36	69-52-27	14.900	-51204.600	43738.123	1.341	58652.822943
54-75	54-32	89-35-23	339-27-50	1.055	-51199.473	43752.113	6.115	267544.170995
54-32	54-33	182-22-42	341-50-32	5.239	-51198.485	43751.743	5.966	261022.898738
54-33	54-34	181-29-58	343-20-30	5.251	-51193.507	43750.111	10.008	437851.110888
54-34	54-96	92-14-55	255-35-25	14.903	-51188.477	43748.605	1.322	57835.655810
54-96	54-97	87-52-34	163-27-59	3.282	-51192.185	43734.171	-6.854	-299754.008034
54-97	54-56	180-00-00	163-27-59	5.720	-51195.331	43735.105	-8.629	-377390.221045
54-56	54-98	176-21-52	159-49-51	4.033	-51200.814	43736.732	-9.269	-405395.768908
							倍面積	366.661387
							面積	183.3306935
							坪数	55.45

* * 面積計算 (座標法) * *

地 器械点	番 : 54-1-19 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
54-54	54-4	87-37-18	64-46-27	15.009	-51217.057	43742.987	1.051	45973.879337
54-4	54-30	91-24-23	336-10-50	2.612	-51210.661	43756.565	8.786	384445.180090
54-30	54-31	181-58-18	338-09-08	5.245	-51208.271	43755.510	7.258	317577.491580
54-31	54-75	181-39-54	339-49-02	4.187	-51203.403	43753.558	8.798	384943.803284
54-75	54-98	90-03-25	249-52-27	14.900	-51199.473	43752.113	-1.197	-52371.279261
54-98	54-99	89-57-24	159-49-51	1.645	-51204.600	43738.123	-6.671	-291777.018533
54-99	54-55	180-00-00	159-49-51	5.932	-51206.144	43738.690	-7.112	-311069.563280
54-55	54-54	177-19-18	157-09-09	5.800	-51211.712	43740.735	-10.913	-477342.641055
							倍面積	379.852162
							面積	189.9260810
							坪数	57.45