




* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-1	内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
						X(i)	Y(i)	X(i+1)-X(i-1)	
45-3	45-89		87-44-32	64-45-35	14.682	-51203.844	43771.041	4.050	177272.716050
45-89	45-90		93-02-55	337-48-30	5.115	-51197.584	43784.321	10.997	481496.178037
45-90	45-150		183-07-24	340-55-54	6.887	-51192.847	43782.389	11.246	492376.746694
45-150	45-117		90-56-39	251-52-33	14.762	-51186.338	43780.139	1.917	83926.526463
45-117	45-39		89-36-54	161-29-27	1.826	-51190.930	43766.109	-6.324	-276776.873316
45-39	45-40		178-37-39	160-07-06	4.802	-51192.662	43766.689	-6.247	-273410.506183
45-40	45-41		178-05-35	158-12-41	4.800	-51197.177	43768.322	-8.972	-392689.384984
45-41	45-3		178-48-22	157-01-03	2.401	-51201.634	43770.103	-6.667	-291815.276701
								倍面積	380.126060
								面 積	190.0630300
								坪 数	57.49

* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	45-2 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-117	45-150	89-42-16	71-52-33	14.762	-51190.930	43766.109	1.761	77072.117949
45-150	45-149	89-03-21	340-55-54	1.566	-51186.338	43780.139	6.071	265789.223869
45-149	45-91	180-00-00	340-55-54	1.744	-51184.859	43779.628	3.128	136942.676384
45-91	45-148	184-15-26	345-11-20	8.321	-51183.210	43779.058	9.694	424394.188252
45-148	45-116	92-05-53	257-17-13	14.738	-51175.165	43776.931	4.801	210173.045731
45-116	45-36	89-23-56	166-41-09	0.444	-51178.409	43762.554	-3.676	-160871.148504
45-36	45-37	178-51-10	165-32-19	4.802	-51178.841	43762.656	-5.081	-222358.055136
45-37	45-38	178-12-30	163-44-49	4.801	-51183.490	43763.855	-9.258	-405165.769590
45-38	45-117	178-25-28	162-10-17	2.974	-51188.099	43765.199	-7.440	-325613.080560
							倍 面 積	363.198395
							面 積	181.5991975
							坪 数	54.93

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-3 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-116	45-148	89-35-51	77-17-13	14.738	-51178.409	43762.554	-1.010	-44200.179540
45-148	45-92	87-54-07	345-11-20	1.879	-51175.165	43776.931	5.060	221511.270860
45-92	45-147	184-15-26	349-26-46	0.514	-51173.349	43776.450	2.321	101605.140450
45-147	45-146	180-00-00	349-26-46	9.476	-51172.844	43776.356	9.821	429927.592276
45-146	45-115	91-26-28	260-53-14	14.671	-51163.528	43774.621	6.992	306072.150032
45-115	45-34	89-59-56	170-53-10	3.637	-51165.852	43760.135	-5.915	-258841.198525
45-34	45-35	178-07-43	169-00-53	4.800	-51169.443	43760.711	-8.303	-363345.183433
45-35	45-116	178-40-29	167-41-22	4.354	-51174.155	43761.626	-8.966	-392366.738716
							倍 面 積	362.853404
							面 積	181.4267020
							坪 数	54.88

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-4						
		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-115	45-146	89-42-33	80-53-14	14.671	-51165.852	43760.135	1.175	51418.158625
45-146	45-93	88-33-33	349-26-47	0.210	-51163.528	43774.621	2.530	110749.791130
45-93	45-145	184-15-25	353-42-12	3.051	-51163.322	43774.582	3.238	141742.096516
45-145	45-94	180-00-00	353-42-12	7.149	-51160.290	43774.248	10.138	443783.326224
45-94	45-144	184-15-26	357-57-38	1.227	-51153.184	43773.464	8.333	364764.275512
45-144	45-114	88-21-42	266-19-20	14.695	-51151.957	43773.420	0.284	12431.651280
45-114	45-31	90-05-22	176-24-42	2.264	-51152.900	43758.755	-3.202	-140115.533510
45-31	45-32	178-08-34	174-33-16	4.803	-51155.159	43758.897	-7.040	-308062.634880
45-32	45-33	178-13-14	172-46-30	4.801	-51159.940	43759.353	-9.544	-417639.265032
45-33	45-115	178-24-11	171-10-41	1.163	-51164.703	43759.956	-5.912	-258708.859872
							倍 面 積	363.005993
							面 積	181.5029965
							坪 数	54.90

* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	45-5						
		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-114	45-144	89-40-01	86-19-20	14.695	-51152.900	43758.755	-1.593	-69707.696715
45-144	45-143	91-38-18	357-57-38	4.086	-51151.957	43773.420	5.026	220005.208920
45-143	45-95	180-00-00	357-57-38	4.886	-51147.874	43773.274	8.966	392471.174684
45-95	45-142	184-15-26	2-13-04	2.659	-51142.991	43773.101	7.541	330092.954641
45-142	45-113	89-32-51	271-45-55	14.750	-51140.333	43773.203	3.112	136222.207736
45-113	45-28	89-13-35	180-59-30	0.887	-51139.879	43758.461	-0.433	-18947.413613
45-28	45-29	178-58-58	179-58-28	4.802	-51140.766	43758.445	-5.689	-248941.793605
45-29	45-30	178-07-06	178-05-34	4.799	-51145.568	43758.447	-9.598	-419993.574306
45-30	45-114	178-33-45	176-39-19	2.540	-51150.364	43758.607	-7.332	-320838.106524
							倍 面 積	362.961218
							面 積	181.4806090
							坪 数	54.89

* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	45-6 内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-113	45-142	89-51-04	91-45-55	14.750	-51139.879	43758.461	-4.370	-191224.474570
45-142	45-141	90-27-09	2-13-04	5.195	-51140.333	43773.203	4.737	207353.662611
45-141	45-96	180-00-00	2-13-04	2.345	-51135.142	43773.405	7.534	329788.833270
45-96	45-140	184-15-27	6-28-31	4.322	-51132.799	43773.495	6.638	290568.459810
45-140	45-112	88-54-16	275-22-47	14.763	-51128.504	43773.983	5.679	248592.449457
45-112	45-26	90-01-06	185-23-53	4.069	-51127.120	43759.285	-2.667	-116706.013095
45-26	45-27	178-18-37	183-42-30	4.803	-51131.171	43758.902	-8.843	-386959.970386
45-27	45-113	178-12-21	181-54-51	3.917	-51135.963	43758.591	-8.708	-381049.810428
							倍 面 積	363.136669
							面 積	181.5683345
							坪 数	54.92

* * 面積計算 (座標法) * *

地 器 械 点	番 : 視 準 点	45-7		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
							X(i)	Y(i)	X(i+1)-X(i-1)	
45-112	45-140	89-15-49	95-22-47	14.763	-51127.120	43759.285	-2.110	-92332.091350		
45-140	45-97	91-05-43	6-28-30	5.877	-51128.504	43773.983	4.456	195056.868248		
45-97	45-139	184-15-27	10-43-57	5.750	-51122.664	43774.646	11.490	502970.682540		
45-139	45-111	90-06-32	280-50-29	14.765	-51117.014	43775.716	8.427	368897.958732		
45-111	45-23	89-25-58	190-16-27	2.695	-51114.237	43761.214	0.125	5470.151750		
45-23	45-24	178-49-19	189-05-46	4.803	-51116.889	43760.734	-7.394	-323566.867196		
45-24	45-25	178-13-34	187-19-20	4.802	-51121.631	43759.975	-9.505	-415938.562375		
45-25	45-112	178-47-38	186-06-58	0.730	-51126.394	43759.363	-5.489	-240195.143507		
							倍 面 積	362.996842		
							面 積	181.4984210		
							坪 数	54.90		

* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	45-8 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-111	45-139	89-19-47	100-50-29	14.765	-51114.237	43761.214	-4.844	-211979.320616
45-139	45-98	89-53-28	10-43-57	4.450	-51117.014	43775.716	1.594	69778.491304
45-98	45-138	184-15-26	14-59-23	2.446	-51112.643	43776.545	6.734	294791.254030
45-138	45-137	180-00-00	14-59-23	4.733	-51110.280	43777.178	6.935	303594.729430
45-137	45-110	91-17-38	286-17-01	14.753	-51105.708	43778.402	8.708	381222.324616
45-110	45-20	89-15-45	195-32-46	1.311	-51101.572	43764.240	2.873	125734.661520
45-20	45-21	178-54-47	194-27-33	4.800	-51102.835	43763.889	-5.912	-258732.111768
45-21	45-22	178-13-20	192-40-53	4.804	-51107.484	43762.690	-9.335	-408524.711150
45-22	45-111	178-49-49	191-30-42	2.110	-51112.170	43761.635	-6.753	-295522.321155
							倍 面 積	362.996211
							面 積	181.4981055
							坪 数	54.90

* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	45-9 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-110	45-137	89-43-51	106-17-01	14.753	-51101.572	43764.240	-7.481	-327400.279440
45-137	45-99	88-42-22	14-59-23	3.021	-51105.708	43778.402	-1.218	-53322.093636
45-99	45-136	184-15-26	19-14-49	4.708	-51102.790	43779.183	7.363	322346.124429
45-136	45-135	180-00-00	19-14-49	4.136	-51098.345	43780.735	8.349	365525.356515
45-135	45-17	90-39-22	289-54-11	14.718	-51094.441	43782.098	8.915	390317.403670
45-17	45-18	89-56-09	199-50-20	4.499	-51089.430	43768.259	0.778	34051.705502
45-18	45-19	178-19-33	198-09-53	4.803	-51093.663	43766.732	-8.797	-385015.941404
45-19	45-110	178-23-17	196-33-10	3.490	-51098.227	43765.234	-7.909	-346139.235706
							倍 面 積	363.039930
							面 積	181.5199650
							坪 数	54.90

* * 面積計算 (座標法) * *

[illegible]

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-11 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-108	45-101	89-57-32	115-58-58	14.676	-51077.378	43773.421	-7.866	-344321.729586
45-101	45-132	91-46-43	27-45-41	9.507	-51083.807	43786.613	1.984	86872.640192
45-132	45-102	180-00-00	27-45-41	0.693	-51075.394	43791.041	9.026	395257.936066
45-102	45-131	184-15-26	32-01-07	1.516	-51074.781	43791.364	1.898	83116.008872
45-131	45-107	88-48-01	300-49-08	14.723	-51073.496	43792.168	8.828	386597.259104
45-107	45-12	89-21-44	210-10-52	1.750	-51065.953	43779.524	6.031	264034.309244
45-12	45-13	178-46-31	208-57-23	4.803	-51067.465	43778.645	-5.715	-250194.956175
45-13	45-14	178-15-19	207-12-42	4.805	-51071.668	43776.319	-8.476	-371048.079844
45-14	45-108	178-48-44	206-01-26	1.598	-51075.941	43774.122	-5.710	-249950.236620
							倍 面 積	363.151253
							面 積	181.5756265
							坪 数	54.92

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-12 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-107	45-131	89-45-08	120-49-08	14.723	-51065.953	43779.524	-10.155	-444581.066220
45-131	45-103	91-11-59	32-01-07	8.683	-51073.496	43792.168	-0.180	-7882.590240
45-103	45-130	184-15-26	36-16-33	1.841	-51066.133	43796.772	8.847	387470.041884
45-130	45-129	180-00-00	36-16-33	1.110	-51064.649	43797.861	2.379	104195.111319
45-129	45-106	89-58-51	306-15-24	14.756	-51063.754	43798.518	9.621	421385.541678
45-106	45-9	88-49-42	215-05-06	0.373	-51055.028	43786.619	8.421	368727.118599
45-9	45-10	179-21-29	214-26-35	4.804	-51055.333	43786.404	-4.267	-186836.585868
45-10	45-11	178-10-31	212-37-06	4.803	-51059.295	43783.687	-8.008	-350619.765496
45-11	45-107	178-26-54	211-04-00	3.049	-51063.341	43781.098	-6.658	-291494.550484
							倍 面 積	363.255172
							面 積	181.6275860
							坪 数	54.94

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-13						
		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-106	45-129	89-55-37	126-15-24	14.756	-51055.028	43786.619	-12.296	-538400.267224
45-129	45-104	90-01-09	36-16-33	7.246	-51063.754	43798.518	-2.885	-126358.724430
45-104	45-105	183-08-50	39-25-23	5.106	-51057.913	43802.805	9.785	428610.446925
45-105	45-1	92-22-49	311-48-12	12.532	-51053.969	43806.047	12.298	538726.766006
45-1	45-2	134-09-00	265-57-12	2.985	-51045.615	43796.705	8.144	356680.365520
45-2	45-7	133-33-24	219-30-36	2.399	-51045.825	43793.728	-2.061	-90258.873408
45-7	45-8	178-31-03	218-01-39	4.800	-51047.676	43792.201	-5.633	-246681.468233
45-8	45-106	178-18-08	216-19-47	4.431	-51051.458	43789.244	-7.352	-321938.521888
							倍 面 積	379.723268
							面 積	189.8616340
							坪 数	57.43

内 角

方向角

距離

[1]

[2]

[3]

$$[2] * [3]$$
$$X(i)$$
$$Y(i)$$
$$X(i+1) - X(i-1)$$

45-130	45-128	88-54-15	125-10-48	15.265	-51064.649	43797.861	-9.690	-424401.273090
45-128	45-70	89-59-10	35-09-58	2.979	-51073.444	43810.338	-6.360	-278633.749680
45-70	45-71	182-06-33	37-16-31	4.432	-51071.009	43812.054	5.962	261207.465948
45-71	45-5	182-14-09	39-30-40	2.219	-51067.482	43814.738	5.240	229589.227120
45-5	45-6	136-14-03	355-44-43	2.994	-51065.769	43816.150	4.698	205848.272700
45-6	45-105	135-59-30	311-44-13	13.241	-51062.784	43815.928	11.800	517027.950400
45-105	45-104	87-41-10	219-25-23	5.106	-51053.969	43806.047	4.871	213379.254937
45-104	45-129	176-51-10	216-16-33	7.246	-51057.913	43802.805	-9.785	-428610.446925
45-129	45-130	180-00-00	216-16-33	1.110	-51063.754	43798.518	-6.736	-295026.817248
							倍面積	379.884162
							面積	189.9420810
							坪數	57.45

* * 面積計算 (座標法) * *

[illegible]

* * 面積計算 (座標法) * *

[illegible]

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-17						
		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-136	45-125	89-15-48	108-30-37	15.216	-51098.345	43780.735	-8.735	-382424.720225
45-125	45-62	90-07-14	18-37-51	0.984	-51103.176	43795.163	-3.898	-170713.545374
45-62	45-63	182-01-23	20-39-14	4.437	-51102.243	43795.478	5.085	222700.005630
45-63	45-64	182-09-33	22-48-47	4.432	-51098.091	43797.043	8.237	360756.243191
45-64	45-126	181-45-30	24-34-17	1.224	-51094.006	43798.761	5.198	227665.959678
45-126	45-134	90-11-14	294-45-31	15.234	-51092.893	43799.270	7.493	328187.930110
45-134	45-100	88-44-44	203-30-15	7.249	-51086.513	43785.436	-0.267	-11690.711412
45-100	45-135	175-44-34	199-14-49	1.356	-51093.160	43782.545	-7.928	-347108.016760
45-135	45-136	180-00-00	199-14-49	4.136	-51094.441	43782.098	-5.185	-227010.178130
							倍 面 積	362.966708
							面 積	181.4833540
							坪 数	54.89

* * 面積計算 (座標法) * *

地 器 械 点	番 ： 視 準 点	45-18						
		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-138	45-124	89-18-45	104-18-08	15.235	-51110.280	43777.178	-8.336	-364926.555808
45-124	45-60	90-13-02	14-31-10	3.437	-51114.044	43791.940	-0.437	-19137.077780
45-60	45-61	182-04-30	16-35-40	4.436	-51110.717	43792.802	7.579	331905.646358
45-61	45-125	181-48-45	18-24-25	3.467	-51106.465	43794.069	7.541	330251.074329
45-125	45-136	90-06-12	288-30-37	15.216	-51103.176	43795.163	8.120	355616.723560
45-136	45-99	90-44-12	199-14-49	4.708	-51098.345	43780.735	0.386	16899.363710
45-99	45-137	175-44-34	194-59-23	3.021	-51102.790	43779.183	-7.363	-322346.124429
45-137	45-138	180-00-00	194-59-23	4.733	-51105.708	43778.402	-7.490	-327900.230980
							倍 面 積	362.818960
							面 積	181.4094800
							坪 数	54.87

* * 面積計算 (座標法) * *

[illegible]

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-20 内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-141	45-122	91-42-22	93-55-26	15.244	-51135.142	43773.405	-3.386	-148216.749330
45-122	45-55	90-03-45	3-59-11	3.696	-51136.185	43788.613	2.644	115777.092772
45-55	45-56	182-06-45	6-05-56	4.443	-51132.498	43788.870	8.104	354865.002480
45-56	45-123	181-55-55	8-01-51	3.122	-51128.081	43789.342	7.508	328770.379736
45-123	45-97	90-42-23	278-44-14	15.310	-51124.990	43789.778	5.417	237209.227426
45-97	45-140	87-44-16	186-28-30	5.877	-51122.664	43774.646	-3.514	-153824.106044
45-140	45-96	180-00-01	186-28-31	4.322	-51128.504	43773.983	-10.135	-443649.317705
45-96	45-141	175-44-33	182-13-04	2.345	-51132.799	43773.495	-6.638	-290568.459810
							倍 面 積	363.069525
							面 積	181.5347625
							坪 数	54.91

* * 面積計算 (座標法) * *

[illegible]

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	45-22						
		内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
45-145	45-120	89-46-27	83-28-39	15.237	-51160.290	43774.248	-5.375	-235286.583000
45-120	45-50	90-12-10	353-40-49	3.987	-51158.559	43789.386	5.694	249336.763884
45-50	45-51	181-55-56	355-36-45	4.375	-51154.596	43788.947	8.325	364542.983775
45-51	45-121	182-09-26	357-46-11	2.989	-51150.234	43788.612	7.349	321802.509588
45-121	45-143	89-52-20	267-38-31	15.235	-51147.247	43788.496	2.360	103340.850560
45-143	45-144	90-19-07	177-57-38	4.086	-51147.874	43773.274	-4.710	-206172.120540
45-144	45-94	180-00-00	177-57-38	1.227	-51151.957	43773.420	-5.310	-232436.860200
45-94	45-145	175-44-34	173-42-12	7.149	-51153.184	43773.464	-8.333	-364764.275512
							倍 面 積	363.268555
							面 積	181.6342775
							坪 数	54.94

* * 面積計算 (座標法) * *

地 器 械 点	番 号	： 視 準 点	45-23 内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
						X(i)	Y(i)	X(i+1)-X(i-1)	
45-147	45-119		87-48-22	77-15-08	15.307	-51172.844	43776.356	-5.938	-259944.001928
45-119	45-47		90-04-35	347-19-43	1.715	-51169.466	43791.286	5.052	221233.576872
45-47	45-48		182-07-50	349-27-33	4.437	-51167.792	43790.910	6.035	264278.141850
45-48	45-49		181-59-01	351-26-34	4.436	-51163.431	43790.098	8.748	383075.777304
45-49	45-120		182-26-45	353-53-19	0.488	-51159.044	43789.438	4.872	213342.141936
45-120	45-145		89-35-20	263-28-39	15.237	-51158.559	43789.386	-1.246	-54561.574956
45-145	45-93		90-13-33	173-42-12	3.051	-51160.290	43774.248	-4.763	-208496.743224
45-93	45-146		175-44-35	169-26-47	0.210	-51163.322	43774.582	-3.238	-141742.096516
45-146	45-147		179-59-59	169-26-46	9.476	-51163.528	43774.621	-9.522	-416821.941162
倍 面 積									363.280176
面 積									181.6400880
坪 数									54.94

* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	45-24 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-149	45-118	92-09-47	73-05-41	15.267	-51184.859	43779.628	2.791	122188.941748
45-118	45-45	90-00-07	343-05-48	4.188	-51180.419	43794.235	8.447	369929.903045
45-45	45-46	182-13-00	345-18-48	4.457	-51176.412	43793.017	8.318	364270.315406
45-46	45-119	181-49-39	347-08-27	2.703	-51172.101	43791.887	6.946	304178.447102
45-119	45-147	90-06-41	257-15-08	15.307	-51169.466	43791.286	-0.743	-32536.925498
45-147	45-92	92-11-38	169-26-46	0.514	-51172.844	43776.356	-3.883	-169983.590348
45-92	45-148	175-44-34	165-11-20	1.879	-51173.349	43776.450	-2.321	-101605.140450
45-148	45-91	180-00-00	165-11-20	8.321	-51175.165	43776.931	-9.861	-431684.316591
45-91	45-149	175-44-34	160-55-54	1.744	-51183.210	43779.058	-9.694	-424394.188252
							倍 面 積	363.446162
							面 積	181.7230810
							坪 数	54.97

* * 面積計算 (座標法) * *

地 器 械 点	番 号 : 視 準 点	45-25 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
45-89	45-4	86-58-07	64-46-37	15.341	-51197.584	43784.321	1.801	78855.562121
45-4	45-42	92-16-29	337-03-06	2.207	-51191.046	43798.199	8.570	375350.565430
45-42	45-43	181-55-35	338-58-41	4.451	-51189.014	43797.339	6.187	270974.136393
45-43	45-44	182-10-44	341-09-25	4.441	-51184.859	43795.742	8.359	366088.607378
45-44	45-118	181-49-46	342-59-11	0.247	-51180.655	43794.307	4.440	194446.723080
45-118	45-149	90-06-30	253-05-41	15.267	-51180.419	43794.235	-4.204	-184110.963940
45-149	45-150	87-50-13	160-55-54	1.566	-51184.859	43779.628	-5.919	-259131.618132
45-150	45-90	180-00-00	160-55-54	6.887	-51186.338	43780.139	-7.988	-349715.750332
45-90	45-89	176-52-36	157-48-30	5.115	-51192.847	43782.389	-11.246	-492376.746694
							倍 面 積	380.515304
							面 積	190.2576520
							坪 数	57.55