







* * 面積計算 (座標法) * *

地 器械点	番 視準点	153-1-1 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-1	153-2	135-04-05	245-15-35	3.006	-50508.223	44162.154	2.629	116102.302866
153-2	153-14	134-58-30	200-14-05	3.773	-50509.481	44159.424	-4.799	-211921.075776
153-14	153-15	176-22-33	196-36-38	10.828	-50513.022	44158.119	-13.917	-614548.542123
153-15	153-16	182-08-11	198-44-49	5.635	-50523.398	44155.023	-15.712	-693763.721376
153-16	153-17	180-43-50	199-28-39	10.908	-50528.734	44153.212	-15.621	-689717.324652
153-17	153-18	179-59-37	199-28-16	0.904	-50539.019	44149.575	-11.137	-491693.816775
153-18	153-19	186-29-02	205-57-18	1.810	-50539.871	44149.274	-2.479	-109446.050246
153-19	153-20	186-19-53	212-17-11	1.808	-50541.498	44148.482	-3.155	-139288.460710
153-20	153-21	184-56-08	217-13-19	1.813	-50543.026	44147.516	-2.972	-131206.417552
153-21	153-22	186-54-11	224-07-30	1.805	-50544.470	44146.419	-2.740	-120961.188060
153-22	153-23	186-22-19	230-29-49	1.819	-50545.766	44145.163	-2.452	-108243.939676
153-23	153-24	186-03-23	236-33-12	1.802	-50546.922	44143.759	-2.150	-94909.081850
153-24	153-25	185-14-21	241-47-33	1.806	-50547.916	44142.256	-1.848	-81574.889088
153-25	153-26	187-02-39	248-50-12	1.811	-50548.770	44140.664	-1.507	-66519.980648
153-26	153-27	185-34-30	254-24-42	1.811	-50549.423	44138.975	-1.140	-50318.431500
153-27	153-28	186-29-18	260-54-00	1.810	-50549.910	44137.230	-0.773	-34118.078790
153-28	153-29	185-30-15	266-24-15	1.807	-50550.196	44135.443	-0.400	-17654.177200
153-29	153-30	186-45-24	273-09-39	1.807	-50550.310	44133.640	-0.014	-617.870960
153-30	153-31	185-41-11	278-50-50	1.808	-50550.210	44131.835	0.378	16681.833630
153-31	153-32	183-59-55	282-50-45	0.903	-50549.932	44130.049	0.479	21138.293471
153-32	153-33	182-05-59	284-56-44	12.140	-50549.731	44129.169	3.332	147038.391108
153-33	153-34	173-41-42	278-38-26	7.083	-50546.600	44117.439	4.195	185072.656605
153-34	153-35	178-27-08	277-05-34	0.806	-50545.536	44110.436	1.163	51300.437068
153-35	153-36	176-25-41	273-31-15	1.611	-50545.437	44109.636	0.198	8733.707928

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-36	153-37	176-00-05	269-31-20	1.615	-50545.338	44108.028	0.086	3793.290408
153-37	153-38	173-56-55	263-28-15	1.612	-50545.351	44106.413	-0.197	-8688.963361
153-38	153-39	176-04-51	259-33-06	1.610	-50545.535	44104.811	-0.475	-20949.785225
153-39	153-40	174-25-50	253-58-56	1.614	-50545.826	44103.228	-0.737	-32504.079036
153-40	153-41	174-54-56	248-53-52	1.616	-50546.272	44101.677	-1.027	-45292.422279
153-41	153-42	175-59-38	244-53-30	1.611	-50546.853	44100.170	-1.265	-55786.715050
153-42	153-43	175-22-13	240-15-43	1.613	-50547.537	44098.712	-1.484	-65442.488608
153-43	153-44	173-48-46	234-04-29	1.612	-50548.337	44097.311	-1.746	-76993.905006
153-44	153-45	175-18-49	229-23-18	1.611	-50549.283	44096.006	-1.994	-87927.435964
153-45	153-46	176-03-34	225-26-52	1.613	-50550.331	44094.783	-2.180	-96126.626940
153-46	153-47	175-18-24	220-45-16	1.613	-50551.463	44093.634	-2.354	-103796.414436
153-47	153-48	174-28-30	215-13-46	1.613	-50552.685	44092.581	-2.539	-111951.063159
153-48	153-49	175-35-08	210-48-54	1.616	-50554.002	44091.650	-2.705	-119267.913250
153-49	153-50	174-44-37	205-33-31	1.609	-50555.390	44090.822	-2.840	-125217.934480
153-50	153-51	175-03-02	200-36-33	1.610	-50556.842	44090.128	-2.958	-130418.598624
153-51	153-52	175-11-01	195-47-34	1.612	-50558.348	44089.562	-3.058	-134825.880596
153-52	153-53	174-46-06	190-33-40	1.613	-50559.900	44089.123	-3.137	-138307.578851
153-53	153-54	176-51-54	187-25-34	0.809	-50561.485	44088.827	-2.388	-105284.118876
153-54	153-55	179-00-21	186-25-55	6.321	-50562.288	44088.723	-7.084	-312324.513732
153-55	153-56	180-46-41	187-12-36	0.701	-50568.569	44088.014	-6.976	-307557.985664
153-56	153-57	184-53-16	192-05-52	1.403	-50569.264	44087.927	-2.067	-91129.745109
153-57	153-58	191-01-41	203-07-33	1.400	-50570.636	44087.632	-2.660	-117273.101120
153-58	153-59	188-17-40	211-25-13	1.400	-50571.924	44087.083	-2.482	-109424.140006
153-59	153-60	186-26-56	217-52-09	1.403	-50573.118	44086.353	-2.302	-101486.784606
153-60	153-61	189-18-35	227-10-44	1.400	-50574.226	44085.491	-2.060	-90816.111460

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-61	153-62	186-52-19	234-03-03	1.402	-50575.178	44084.464	-1.775	-78249.923600
153-62	153-63	187-25-12	241-28-15	1.400	-50576.001	44083.329	-1.491	-65728.243539
153-63	153-64	187-41-25	249-09-40	0.695	-50576.669	44082.100	-0.916	-40379.203600
153-64	153-65	181-12-38	250-22-18	9.303	-50576.917	44081.450	-3.373	-148686.730850
153-65	153-66	177-08-20	247-30-38	0.710	-50580.042	44072.688	-3.396	-149670.848448
153-66	153-67	177-58-46	245-29-24	1.409	-50580.313	44072.032	-0.856	-37725.659392
153-67	153-68	174-40-36	240-10-00	1.416	-50580.898	44070.750	-1.289	-56807.196750
153-68	153-69	176-46-00	236-56-00	1.408	-50581.602	44069.521	-1.472	-64870.334912
153-69	153-70	173-20-07	230-16-07	1.414	-50582.370	44068.342	-1.672	-73682.267824
153-70	153-71	175-57-22	226-13-29	1.408	-50583.274	44067.254	-1.878	-82758.303012
153-71	153-72	175-16-28	221-29-57	1.408	-50584.248	44066.238	-2.029	-89410.396902
153-72	153-73	174-42-51	216-12-48	1.412	-50585.303	44065.305	-2.194	-96679.279170
153-73	153-74	176-01-35	212-14-23	1.410	-50586.442	44064.470	-2.332	-102758.344040
153-74	153-75	175-07-16	207-21-39	1.412	-50587.635	44063.718	-2.447	-107823.917946
153-75	153-76	175-12-57	202-34-36	1.410	-50588.889	44063.069	-2.556	-112625.204364
153-76	153-77	173-25-21	195-59-57	1.411	-50590.191	44062.528	-2.658	-117118.199424
153-77	153-78	177-58-33	193-58-30	1.413	-50591.547	44062.139	-2.727	-120157.453053
153-78	153-79	179-00-19	192-58-49	0.705	-50592.918	44061.798	-2.057	-90635.118486
153-79	153-80	175-28-43	188-27-32	3.065	-50593.604	44061.640	-3.718	-163821.177520
153-80	153-81	171-51-07	180-18-39	8.556	-50596.636	44061.189	-11.588	-510581.058132
153-81	153-82	181-00-35	181-19-14	1.061	-50605.192	44061.142	-9.616	-423691.941472
153-82	153-83	183-35-10	184-54-24	2.118	-50606.252	44061.118	-3.171	-139717.805178
153-83	153-84	183-40-04	188-34-28	2.114	-50608.363	44060.937	-4.201	-185099.996337
153-84	153-85	184-07-48	192-42-16	2.117	-50610.453	44060.622	-4.156	-183115.945032
153-85	153-86	184-16-33	196-58-49	2.127	-50612.519	44060.156	-4.100	-180646.639600

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-86	153-87	185-29-55	202-28-44	2.123	-50614.553	44059.535	-3.996	-176061.901860
153-87	153-88	183-35-27	206-04-11	2.114	-50616.515	44058.723	-3.860	-170066.670780
153-88	153-89	184-51-46	210-55-57	2.126	-50618.413	44057.794	-3.722	-163983.109268
153-89	153-90	184-09-04	215-05-01	2.120	-50620.237	44056.701	-3.559	-156797.798859
153-90	153-91	184-27-29	219-32-30	2.122	-50621.972	44055.483	-3.371	-148511.033193
153-91	153-92	183-39-59	223-12-29	2.125	-50623.608	44054.132	-3.185	-140312.410420
153-92	153-93	185-16-24	228-28-53	2.125	-50625.157	44052.677	-2.958	-130307.818566
153-93	153-94	183-31-21	232-00-14	1.059	-50626.566	44051.086	-2.061	-90789.288246
153-94	153-95	180-16-43	232-16-57	15.892	-50627.218	44050.251	-10.374	-456977.303874
153-95	153-96	182-24-41	234-41-38	0.849	-50636.940	44037.680	-10.213	-449756.825840
153-96	153-97	183-57-30	238-39-08	1.708	-50637.431	44036.987	-1.379	-60727.005073
153-97	153-98	185-40-41	244-19-49	1.710	-50638.319	44035.528	-1.629	-71733.875112
153-98	153-99	186-17-48	250-37-37	1.708	-50639.060	44033.987	-1.307	-57552.421009
153-99	153-100	186-23-54	257-01-31	1.710	-50639.626	44032.376	-0.950	-41830.757200
153-100	153-101	185-41-51	262-43-22	1.710	-50640.010	44030.711	-0.601	-26462.457311
153-101	153-102	186-46-14	269-29-36	1.706	-50640.227	44029.015	-0.232	-10214.731480
153-102	153-103	183-40-25	273-10-01	0.851	-50640.242	44027.309	0.032	1408.873888
153-103	153-104	181-55-09	275-05-10	12.707	-50640.195	44026.459	1.174	51687.062866
153-104	153-105	177-57-35	273-02-45	0.748	-50639.068	44013.803	1.166	51320.094298
153-105	153-106	177-41-02	270-43-47	1.505	-50639.029	44013.056	0.058	2552.757248
153-106	153-107	174-35-28	265-19-15	1.503	-50639.010	44011.551	-0.103	-4533.189753
153-107	153-108	174-33-45	259-53-00	1.500	-50639.132	44010.052	-0.386	-16987.880072
153-108	153-109	174-12-45	254-05-45	1.505	-50639.396	44008.576	-0.676	-29749.797376
153-109	153-110	175-08-55	249-14-40	1.495	-50639.808	44007.129	-0.942	-41454.715518
153-110	153-111	175-27-33	244-42-13	1.509	-50640.338	44005.731	-1.175	-51706.733925

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-111	153-112	174-36-42	239-18-55	1.502	-50640.983	44004.366	-1.411	-62090.160426
153-112	153-113	174-50-58	234-09-53	1.504	-50641.749	44003.074	-1.647	-72473.062878
153-113	153-114	174-11-04	228-20-57	1.507	-50642.630	44001.855	-1.882	-82811.491110
153-114	153-115	175-15-57	223-36-54	1.503	-50643.631	44000.729	-2.089	-91917.522881
153-115	153-116	177-16-02	220-52-56	1.507	-50644.719	43999.692	-2.228	-98031.313776
153-116	153-117	178-45-52	219-38-48	0.754	-50645.859	43998.706	-1.720	-75677.774320
153-117	153-118	174-42-40	214-21-28	5.923	-50646.439	43998.225	-5.469	-240626.292525
153-118	153-119	178-31-18	212-52-46	1.157	-50651.328	43994.883	-5.861	-257854.009263
153-119	153-120	178-26-56	211-19-42	2.302	-50652.300	43994.255	-2.938	-129255.121190
153-120	153-121	177-14-32	208-34-14	2.306	-50654.266	43993.058	-3.991	-175576.294478
153-121	153-122	177-07-25	205-41-39	2.298	-50656.291	43991.955	-4.096	-180191.047680
153-122	153-123	177-08-55	202-50-34	2.310	-50658.362	43990.959	-4.200	-184762.027800
153-123	153-124	177-07-13	199-57-47	2.306	-50660.491	43990.062	-4.297	-189025.296414
153-124	153-125	177-25-40	197-23-27	2.301	-50662.659	43989.275	-4.364	-191969.196100
153-125	153-126	178-17-07	195-40-34	1.156	-50664.855	43988.587	-3.309	-145558.234383
153-126	153-127	179-00-07	194-40-41	10.239	-50665.968	43988.274	-11.018	-484662.802932
153-127	153-128	175-42-41	190-23-22	20.098	-50675.873	43985.680	-29.673	-1305187.082640
153-128	153-129	256-01-34	266-24-56	36.352	-50695.641	43982.056	-22.041	-969408.496296
153-129	153-130	194-06-00	280-30-56	8.135	-50697.914	43945.775	-0.788	-34629.270700
153-130	153-131	192-42-22	293-13-18	7.225	-50696.429	43937.777	4.334	190426.325518
153-131	153-132	193-48-10	307-01-28	13.836	-50693.580	43931.137	11.180	491150.111660
153-132	153-3	162-49-40	289-51-08	5.476	-50685.249	43920.091	10.191	447589.647381
153-3	153-4	128-41-40	238-32-48	3.011	-50683.389	43914.941	0.289	12691.417949
153-4	153-203	127-16-27	185-49-15	60.890	-50684.960	43912.372	-62.147	-2729022.182684
153-203	153-204	180-07-56	185-57-11	42.146	-50745.536	43906.197	-102.494	-4500121.755318

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-204	153-133	179-55-08	185-52-19	27.018	-50787.454	43901.826	-68.794	-3020182.217844
153-133	153-134	179-36-24	185-28-43	2.269	-50814.330	43899.062	-29.135	-1278999.171370
153-134	153-135	178-51-51	184-20-34	5.254	-50816.589	43898.845	-7.498	-329153.539810
153-135	153-136	178-27-08	182-47-42	5.256	-50821.828	43898.447	-10.488	-460406.912136
153-136	153-137	178-22-56	181-10-38	5.259	-50827.077	43898.191	-10.507	-461238.292837
153-137	153-138	178-27-39	179-38-17	5.258	-50832.335	43898.083	-10.516	-461632.240828
153-138	153-139	178-16-07	177-54-24	5.256	-50837.593	43898.116	-10.510	-461369.199160
153-139	153-140	178-32-19	176-26-43	5.256	-50842.845	43898.308	-10.498	-460844.437384
153-140	153-141	178-29-51	174-56-34	5.259	-50848.091	43898.634	-10.484	-460233.278856
153-141	153-142	178-41-34	173-38-08	2.635	-50853.329	43899.097	-7.857	-344915.205129
153-142	153-143	178-03-30	171-41-38	4.737	-50855.948	43899.389	-7.306	-320728.936034
153-143	153-144	178-48-27	170-30-05	4.797	-50860.635	43900.074	-9.418	-413450.896932
153-144	153-145	178-26-00	168-56-05	4.800	-50865.366	43900.865	-9.443	-414555.868195
153-145	153-146	178-38-47	167-34-52	4.796	-50870.078	43901.787	-9.395	-412457.288865
153-146	153-147	178-31-24	166-06-16	4.795	-50874.761	43902.818	-9.338	-409964.514484
153-147	153-148	178-29-25	164-35-41	4.798	-50879.416	43903.970	-9.281	-407472.745570
153-148	153-149	178-37-00	163-12-41	4.869	-50884.042	43905.244	-9.288	-407791.906272
153-149	153-150	179-46-38	162-59-19	2.655	-50888.704	43906.651	-7.200	-316127.887200
153-150	153-151	178-43-22	161-42-41	5.309	-50891.242	43907.427	-7.580	-332818.296660
153-151	153-152	178-24-15	160-06-56	5.312	-50896.284	43909.093	-10.036	-440671.657348
153-152	153-153	178-27-57	158-34-53	5.313	-50901.278	43910.900	-9.940	-436474.346000
153-153	153-154	178-19-20	156-54-13	5.312	-50906.224	43912.840	-9.833	-431794.955720
153-154	153-155	178-32-04	155-26-17	5.312	-50911.111	43914.924	-9.718	-426765.231432
153-155	153-156	178-46-44	154-13-01	2.654	-50915.942	43917.132	-7.221	-317125.610172
153-156	153-5	179-38-10	153-51-11	15.492	-50918.332	43918.287	-16.297	-715736.323239

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-5	153-6	170-09-18	144-00-29	6.261	-50932.239	43925.114	-18.973	-833391.187922
153-6	153-7	144-43-41	108-44-10	9.988	-50937.305	43928.794	-8.274	-363466.841556
153-7	153-8	144-45-04	73-29-14	6.247	-50940.513	43938.252	-1.433	-62963.515116
153-8	153-157	170-13-41	63-42-55	29.003	-50938.738	43944.242	14.619	642420.873798
153-157	153-158	180-01-08	63-44-03	3.291	-50925.894	43970.246	14.300	628774.517800
153-158	153-159	179-11-01	62-55-04	6.587	-50924.438	43973.197	4.455	195900.592635
153-159	153-160	178-59-29	61-54-33	6.581	-50921.439	43979.062	6.098	268184.320076
153-160	153-161	179-27-16	61-21-49	3.296	-50918.340	43984.868	4.679	205805.197372
153-161	153-162	179-56-47	61-18-36	5.078	-50916.760	43987.761	4.017	176698.835937
153-162	153-163	179-11-51	60-30-27	4.896	-50914.323	43992.215	4.847	213230.266105
153-163	153-164	179-33-26	60-03-53	4.896	-50911.913	43996.476	4.853	213514.898028
153-164	153-165	179-08-13	59-12-06	4.897	-50909.470	44000.719	4.951	217847.559769
153-165	153-166	179-15-50	58-27-56	4.901	-50906.962	44004.925	5.071	223148.974675
153-166	153-167	179-19-48	57-47-44	4.896	-50904.399	44009.102	5.172	227615.075544
153-167	153-168	179-10-44	56-58-28	4.729	-50901.790	44013.245	5.187	228296.701815
153-168	153-169	178-46-50	55-45-18	3.886	-50899.212	44017.210	4.764	209697.988440
153-169	153-170	179-00-06	54-45-24	7.775	-50897.026	44020.422	6.673	293748.276006
153-170	153-171	178-46-29	53-31-53	7.771	-50892.539	44026.772	9.106	400907.785832
153-171	153-172	178-59-18	52-31-11	7.776	-50887.920	44033.021	9.350	411708.746350
153-172	153-173	178-48-06	51-19-17	7.777	-50883.189	44039.192	9.592	422423.929664
153-173	153-174	178-56-08	50-15-25	7.774	-50878.328	44045.263	9.831	433008.980553
153-174	153-175	178-47-09	49-02-34	7.777	-50873.358	44051.241	10.068	443507.894388
153-175	153-176	179-09-14	48-11-48	3.890	-50868.260	44057.114	7.691	338843.263774
153-176	153-177	179-44-22	47-56-10	30.294	-50865.667	44060.014	22.888	1008445.600432
153-177	153-178	179-50-09	47-46-19	4.036	-50845.372	44082.504	23.008	1014250.252032

器械点	視準点	内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-178	153-179	181-17-50	49-04-09	8.074	-50842.659	44085.492	8.002	352772.106984
153-179	153-180	181-07-11	50-11-20	8.072	-50837.370	44091.592	10.458	461109.869136
153-180	153-181	181-11-16	51-22-36	8.071	-50832.201	44097.793	10.207	450106.173151
153-181	153-182	181-03-19	52-25-55	8.070	-50827.163	44104.098	9.958	439188.607884
153-182	153-183	181-06-55	53-32-50	8.069	-50822.243	44110.495	9.714	428489.348430
153-183	153-184	181-14-15	54-47-05	8.070	-50817.449	44116.985	9.448	416817.274280
153-184	153-185	181-09-55	55-57-00	8.072	-50812.795	44123.578	9.174	404789.704572
153-185	153-186	180-58-34	56-55-34	8.065	-50808.275	44130.267	8.921	393686.111907
153-186	153-187	181-08-36	58-04-10	8.063	-50803.874	44137.025	8.665	382447.321625
153-187	153-188	181-03-20	59-07-30	8.060	-50799.610	44143.868	8.400	370808.491200
153-188	153-189	181-19-52	60-27-22	8.066	-50795.474	44150.785	8.114	358239.469490
153-189	153-190	181-07-59	61-35-21	8.059	-50791.496	44157.803	7.812	344960.757036
153-190	153-191	181-07-35	62-42-56	8.066	-50787.662	44164.891	7.532	332649.959012
153-191	153-192	180-43-13	63-26-09	4.041	-50783.964	44172.060	5.505	243167.190300
153-192	153-202	180-20-37	63-46-46	57.600	-50782.157	44175.675	27.257	1204096.373475
153-202	153-201	89-48-59	333-35-45	7.967	-50756.707	44227.348	32.586	1441192.361928
153-201	153-200	270-09-32	63-45-17	6.002	-50749.571	44223.805	9.790	432951.050950
153-200	153-206	90-04-08	333-49-25	58.291	-50746.917	44229.188	54.967	2431145.776796
153-206	153-11	179-51-00	333-40-25	69.624	-50694.604	44203.474	114.716	5070845.723384
153-11	153-205	270-11-26	63-51-51	41.285	-50632.201	44172.596	80.589	3559825.339044
153-205	153-12	180-00-13	63-52-04	40.101	-50614.015	44209.660	35.848	1584827.891680
153-12	153-13	130-49-34	14-41-38	3.002	-50596.353	44245.662	20.566	909956.284692
153-13	153-193	130-16-29	324-58-07	52.397	-50593.449	44246.424	45.808	2026840.190592
153-193	153-194	176-38-53	321-37-00	10.221	-50550.545	44216.347	50.916	2251319.523852
153-194	153-195	173-46-02	315-23-02	6.895	-50542.533	44210.000	12.920	571193.200000

[illegible]

地 器 械 点	番 視 準 点	153-1-2 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
153-200	153-201	90-09-30	243-45-17	6.002	-50746.917	44229.188	2.622	115968.930936
153-201	153-202	89-50-28	153-35-45	7.967	-50749.571	44223.805	-9.790	-432951.050950
153-202	153-9	90-12-40	63-48-25	3.857	-50756.707	44227.348	-5.434	-240331.409032
153-9	153-10	135-44-49	19-33-14	2.984	-50755.005	44230.809	4.514	199657.871826
153-10	153-200	134-02-33	333-35-47	5.891	-50752.193	44231.807	8.088	357746.855016
							倍 面 積	91.197796
							面 積	45.5988980
							坪 数	13.79