




* * 面積計算 (座標法) * *

地 器 械 点	番 号 視 準 点	145-1 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
145-68	145-67	88-05-53	128-23-36	15.066	-51087.562	44504.351	-10.585	-471078.555335
145-67	145-48	91-05-12	39-28-48	2.080	-51096.919	44516.159	-7.751	-345044.748409
145-48	145-94	179-01-42	38-30-30	0.991	-51095.313	44517.482	2.381	105996.124642
145-94	145-51	179-27-41	37-58-11	2.762	-51094.538	44518.098	2.953	131461.943394
145-51	145-49	180-00-00	37-58-11	2.185	-51092.360	44519.798	3.900	173627.212200
145-49	145-50	178-42-24	36-40-35	5.925	-51090.638	44521.142	6.474	288229.873308
145-50	145-6	179-09-42	35-50-17	2.974	-51085.886	44524.681	7.163	318930.290003
145-6	145-63	88-51-02	304-41-19	14.999	-51083.475	44526.422	10.947	487430.741634
145-63	145-95	92-32-22	217-13-41	12.873	-51074.939	44514.089	-1.714	-76297.148546
145-95	145-96	181-13-41	218-27-22	1.462	-51085.189	44506.301	-11.395	-507149.299895
145-96	145-68	181-50-21	220-17-43	1.610	-51086.334	44505.392	-2.373	-105611.295216
							倍 面 積	495.137780
							面 積	247.5688900
							坪 数	74.88

* * 面積計算（座標法） * *

地 器 械 点	番 視 準 点	145-2 内 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
145-65	145-81	91-16-51	152-58-28	14.897	-51131.024	44427.514	-15.437	-685827.533618
145-81	145-66	179-59-33	152-58-01	15.052	-51144.294	44434.283	-26.678	-1185417.801874
145-66	145-32	89-09-02	62-07-03	4.422	-51157.702	44441.124	-11.340	-503962.346160
145-32	145-33	178-46-24	60-53-27	5.932	-51155.634	44445.033	4.954	220180.693482
145-33	145-88	179-03-20	59-56-47	2.063	-51152.748	44450.215	3.919	174200.392585
145-88	145-34	179-18-40	59-15-27	3.874	-51151.715	44452.001	3.013	133933.879013
145-34	145-35	178-45-57	58-01-24	5.931	-51149.735	44455.331	5.121	227655.750051
145-35	145-89	179-15-38	57-17-02	2.759	-51146.594	44460.362	4.632	205940.396784
145-89	145-36	178-56-48	56-13-50	3.175	-51145.103	44462.683	3.256	144770.495848
145-36	145-37	179-00-29	55-14-19	5.930	-51143.338	44465.322	5.147	228863.012334
145-37	145-90	178-51-00	54-05-19	3.447	-51139.956	44470.194	5.403	240272.458182
145-90	145-38	179-11-19	53-16-38	2.484	-51137.935	44472.986	3.506	155922.288916
145-38	145-39	179-02-43	52-19-21	5.933	-51136.450	44474.977	5.112	227356.082424
145-39	145-91	178-56-14	51-15-35	4.138	-51132.823	44479.673	6.216	276485.647368
145-91	145-40	179-14-32	50-30-07	1.797	-51130.234	44482.900	3.732	166010.182800
145-40	145-41	178-58-32	49-28-39	5.924	-51129.091	44484.286	4.992	222065.555712
145-41	145-92	178-43-25	48-12-04	4.829	-51125.242	44488.790	7.067	314402.278930
145-92	145-42	179-22-45	47-34-49	1.105	-51122.024	44492.389	3.964	176367.829996
145-42	145-43	179-06-26	46-41-15	5.929	-51121.278	44493.205	4.813	214145.795665
145-43	145-93	178-30-19	45-11-34	5.526	-51117.211	44497.519	7.962	354289.246278
145-93	145-44	179-34-50	44-46-24	0.404	-51113.316	44501.440	4.182	186105.022080
145-44	145-45	179-02-51	43-49-15	5.936	-51113.029	44501.725	4.569	203328.381525
145-45	145-46	178-37-03	42-26-18	5.928	-51108.747	44505.835	8.657	385287.013595
145-46	145-47	178-25-02	40-51-20	5.928	-51104.372	44509.835	8.859	394312.628265

器械点	視準点	内 角	方向角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
145-47	145-67	178-37-28	39-28-48	3.847	-51099.888	44513.713	7.453	331760.702989
145-67	145-68	88-54-48	308-23-36	15.066	-51096.919	44516.159	12.326	548706.175834
145-68	145-97	91-54-07	220-17-43	8.348	-51087.562	44504.351	2.990	133068.009490
145-97	145-98	181-13-07	221-30-50	3.196	-51093.929	44498.952	-8.761	-389855.318472
145-98	145-99	182-06-49	223-37-39	8.826	-51096.323	44496.833	-8.782	-390771.187406
145-99	145-69	181-03-50	224-41-29	1.409	-51102.711	44490.744	-7.390	-328786.598160
145-69	145-64	270-02-13	314-43-42	14.922	-51103.713	44489.753	9.499	422608.163747
145-64	145-13	90-05-20	224-49-02	2.213	-51093.212	44479.151	8.932	397287.776732
145-13	145-106	180-42-36	225-31-38	0.710	-51094.781	44477.592	-2.067	-91935.182664
145-106	145-14	180-49-14	226-20-52	5.042	-51095.279	44477.085	-3.978	-176929.844130
145-14	145-15	181-39-27	228-00-19	5.743	-51098.759	44473.437	-7.322	-325634.505714
145-15	145-84	181-02-56	229-03-15	1.554	-51102.601	44469.169	-4.861	-216164.630509
145-84	145-16	180-43-44	229-46-59	4.197	-51103.620	44467.995	-3.729	-165821.153355
145-16	145-17	181-19-34	231-06-33	5.747	-51106.330	44464.790	-6.318	-280928.543220
145-17	145-85	181-19-32	232-26-05	2.389	-51109.938	44460.317	-5.065	-225191.505605
145-85	145-18	180-37-32	233-03-37	3.356	-51111.395	44458.423	-3.474	-154448.561502
145-18	145-19	181-15-07	234-18-44	5.744	-51113.412	44455.741	-5.368	-238638.417688
145-19	145-86	180-56-42	235-15-26	3.209	-51116.763	44451.075	-5.179	-230212.117425
145-86	145-20	181-24-27	236-39-53	2.537	-51118.591	44448.439	-3.223	-143257.318897
145-20	145-21	180-46-40	237-26-33	5.751	-51119.986	44446.319	-4.489	-199519.525991
145-21	145-87	181-13-05	238-39-38	3.655	-51123.080	44441.472	-4.995	-221985.152640
145-87	145-22	180-53-00	239-32-38	2.092	-51124.981	44438.350	-2.961	-131581.954350
145-22	145-23	181-07-13	240-39-51	5.748	-51126.041	44436.547	-3.876	-172236.056172
145-23	145-65	181-01-46	241-41-37	4.569	-51128.857	44431.536	-4.983	-221402.343888

倍面積	4818.261185
面積	2409.1305925
坪数	728.76

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	145-3			距 離	[1]	[2]	[3]	[2]*[3]
		內 角	方 向 角	X(i)		Y(i)	X(i+1)-X(i-1)		
145-2	145-3	132-30-33	196-14-16	3.006	-51146.311	44396.478	-7.526	-334127.893428	
145-3	145-26	134-17-36	150-31-52	6.086	-51149.198	44395.638	-8.185	-363378.297030	
145-26	145-27	180-11-53	150-43-45	3.260	-51154.496	44398.632	-8.142	-361493.661744	
145-27	145-76	180-20-12	151-03-57	3.383	-51157.340	44400.225	-5.805	-257743.306125	
145-76	145-28	180-29-13	151-33-10	3.142	-51160.301	44401.862	-5.723	-254111.856226	
145-28	145-29	180-49-23	152-22-33	6.540	-51163.063	44403.359	-8.557	-379959.542963	
145-29	145-4	180-54-21	153-16-54	3.269	-51168.858	44406.391	-8.715	-387001.697565	
145-4	145-5	135-12-40	108-29-34	3.004	-51171.778	44407.861	-3.872	-171947.237792	
145-5	145-72	135-17-04	63-46-38	9.869	-51172.730	44410.710	3.409	151396.110390	
145-72	145-73	179-58-23	63-45-01	11.961	-51168.369	44419.563	9.651	428693.202513	
145-73	145-30	179-59-47	63-44-48	7.625	-51163.079	44430.291	8.662	384855.180642	
145-30	145-31	179-44-34	63-29-22	2.964	-51159.707	44437.129	4.695	208632.320655	
145-31	145-66	179-35-44	63-05-06	1.506	-51158.384	44439.781	2.005	89101.760905	
145-66	145-81	89-52-55	332-58-01	15.052	-51157.702	44441.124	14.090	626175.437160	
145-81	145-65	180-00-27	332-58-28	14.897	-51144.294	44434.283	26.678	1185417.801874	
145-65	145-24	91-00-05	243-58-33	1.179	-51131.024	44427.514	12.753	566584.086042	
145-24	145-25	179-36-33	243-35-06	2.875	-51131.541	44426.454	-1.796	-79789.911384	
145-25	145-70	180-17-40	243-52-46	7.970	-51132.820	44423.880	-4.788	-212701.537440	
145-70	145-71	179-53-44	243-46-30	12.090	-51136.329	44416.723	-8.852	-393176.831996	
145-71	145-2	179-57-13	243-43-43	10.482	-51141.672	44405.878	-9.982	-443259.474196	
							倍 面 積	2164.652292	
							面 積	1082.3261460	
							坪 数	327.40	

* * 面積計算 (座標法) * *

地 器 械 点	番 視 準 点	145-4 内 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
145-64	145-69	89-54-40	134-43-42	14.922	-51093.212	44479.151	-13.003	-578362.400453
145-69	145-99	89-57-47	44-41-29	1.409	-51103.713	44489.753	-9.499	-422608.163747
145-99	145-98	178-56-10	43-37-39	8.826	-51102.711	44490.744	7.390	328786.598160
145-98	145-97	177-53-11	41-30-50	3.196	-51096.323	44496.833	8.782	390771.187406
145-97	145-68	178-46-53	40-17-43	8.348	-51093.929	44498.952	8.761	389855.318472
145-68	145-96	180-00-00	40-17-43	1.610	-51087.562	44504.351	7.595	338010.545845
145-96	145-95	178-09-39	38-27-22	1.462	-51086.334	44505.392	2.373	105611.295216
145-95	145-63	178-46-19	37-13-41	12.873	-51085.189	44506.301	11.395	507149.299895
145-63	145-1	87-29-14	304-42-55	14.988	-51074.939	44514.089	18.785	836197.161865
145-1	145-7	90-34-37	215-17-32	2.873	-51066.404	44501.769	6.191	275510.451879
145-7	145-8	181-40-55	216-58-27	5.743	-51068.748	44500.110	-6.933	-308519.262630
145-8	145-82	181-17-53	218-16-20	4.762	-51073.337	44496.655	-8.328	-370568.142840
145-82	145-9	181-03-31	219-19-51	0.979	-51077.076	44493.705	-4.496	-200043.697680
145-9	145-10	180-41-28	220-01-19	5.743	-51077.833	44493.085	-5.155	-229361.853175
145-10	145-83	181-46-28	221-47-47	5.611	-51082.231	44489.391	-8.581	-381763.464171
145-83	145-11	177-46-00	219-33-47	0.131	-51086.414	44485.652	-4.285	-190621.018820
145-11	145-12	183-34-47	223-08-34	5.749	-51086.516	44485.568	-4.296	-191110.000128
145-12	145-64	181-40-28	224-49-02	3.527	-51090.710	44481.637	-6.696	-297849.041352
							倍 面 積	1084.813742
							面 積	542.4068710
							坪 数	164.07